

Linking tradition and innovation – **for over 50 years**.



We are a strong **partner** for your business.

The name Kesseböhmer stands for innovative solutions and a powerful blend of design, function and quality. Today the Kesseböhmer group is still owned and managed by the current generation of the founding family.

Our core competence is in metal processing. We work with wire, flat band and tubing and our products are finished in our in-house electroplating and powder-coating facilities. Strong customer orientation has helped us to achieve and maintain our position as the leading supplier of functional fittings for kitchen units.



We supply elegant, high quality solutions for brilliantly organised kitchen storage. Our solutions help end users to make best use of available space and to streamline work processes. These benefits are strong selling points for kitchens. In addition, kitchen manufacturers and kitchen fitters profit from the simplified assembly and easy adjustment of our pull-outs and other fittings. Many of our products are assembled without tools using snap-on connections. It saves time and ensures that the end result meets the highest standards.

Kesseböhmer has a high level of vertical integration, with all production processes in-house. We also engineer and build key elements of our production machinery and tooling. This strategy cuts development time from a new idea to a quality product:

Functions that delight. Designs that impress. Quality that sets standards.

KESSEBÖHMER

DESIGN AND SYSTEM VARIANTS

ARENA Classic/Style/Vario, metal baskets	Page 0.6	
From classic to contemporary – versatile tray and basket variants.		
ARENA Plus anti-slip finish Welcome to the quiet kitchen.	Page 0·12	
SoftStopp / SoftStopp Plus Gentle deceleration and noiseless closing	Page 0·14	
TouchControl Tap once and the cupboard opens!	Page 0·16	
Synchromatic The new standard for perfect closing in a busy kitchen	Page 0·18	
ClickFixx Making assembly faster and simpler.	Page 0-20	





From classic to contemporary – versatile tray variants.

People choosing a new kitchen set a high priority on attractive design – also for the interior fittings – as an important purchase criterion. This means that function and optics should blend in a homogenous whole, the interior fittings must harmonise with the overall kitchen design.

Our design variants ARENA Classic and ARENA Style, metal trays/baskets are used throughout – in larder pull-outs, and in corner, base and wall units. Then there's ARENA Vario, developed especially to provide a wider choice of contemporary designs for larder pull-outs. All ARENA variants combine optimal functionality and elegant optics with maximum space utilisation – thanks to the railing being attached to the outer edge of the tray.



ARENA Classic -

classic design for contemporary kitchens.



The shapes and the material of ARENA Classic trays instantly communicate style and quality, enhancing the value message of the whole kitchen. The elegant railing is bonded seamlessly with the wood bottom panel and sets off both round and rectangular trays to perfection. With the railing encircling the extreme outer edge of the tray, the entire tray is available for storage and no space is wasted.



ARENA Style -

fine design and perfect workmanship.

This contemporary design features a streamlined railing, made of chrome-plated metal bands, that fits the bottom panel.

The clear, straight lines make a striking impression, whenever a kitchen unit is opened, and harmonise perfectly, especially with ultra-modern kitchens. International recognition, for example the red dot design award, underline the outstanding design.






ARENA Vario -

more choice than ever before!



The new freedom! Vario is based on the design of the ARENA trays and was developed specifically for DISPENSA. Attractive connectors on the long sides of each tray offer the choice of combining different railing variants with ARENA Style trays in a range of designs.

In this way, it's possible to offer customers a huge choice of variants featuring exclusive designs.



Metal baskets -

sturdy, see-through storage.

Kesseböhmer metal baskets still count among the true design classics. They have two big advantages – they're robust, and basket contents are clearly visible.

n-house electroplating or powder coating gives the metal baskets a surface finish that communicates incomparable Kesseböhmer processing quality.







ARENA Plus anti-slip finish – welcome to the quiet kitchen.

Kesseböhmer developed the special ARENA Plus coating which prevents pots and pans, crockery and groceries slipping and sliding when a pull-out is opened or a carousel turned. All ARENA trays can be supplied with the optional anti-slip coating.



FUNCTION AND OPERATION





SoftStopp &
SoftStopp Plus –
gentle deceleration
and noiseless
closing.

SoftStopp & SoftStopp Plus is the best combination as a high-performance damping system for cabinets designed to take high loads.



FUNCTION AND OPERATION



TouchControl -


tap once and the cupboard opens!

It's simple. A gentle tap anywhere on the front panel – and the DISPENSA larder unit opens automatically.

Just a quick knock triggers the drive that slides the DISPENSA pull-out gently and silently out of the cabinet. Reliable opening is guaranteed and unplanned opening effectively prevented.



Electric **opening** for larder cabinets.





Installation is fast and easy. The TouchControl sensor is simply snapped onto the pull-out runner and the compact electric motor fixed in position. The only other modification is a hole for the power cable in the cabinet bottom panel.

Even fully loaded, DISPENSA always glides smoothly out of the cabinet. The motor thrust adapts to the different loads.


When front panels have a handle for manual opening, the electric motor supports the opening movement.

The thrust adapts to the load



The sensor prevents accidental opening

FUNCTION AND OPERATION



Synchromatic – the new standard for perfect closing in a busy kitchen.



This innovative synchronization system makes sure that the segments of the runner always automatically line up in "zero" position – regardless of whether the pull-out is opened fully or partially. Closing will always be optimal.



Your **benefits** in brief:

- more flexibility and ease-of-use in the kitchen
- the only larder pull-out with Synchromatic



FUNCTION AND OPERATION



ClickFixx for DISPENSA




ClickFixx for MagicCorner



ClickFixx for EWIVA



ClickFixx for REVO 90°



ClickFixx: Making assembly faster and simpler.

It's simple and fast. The new ClickFixx system for DISPENSA, REVO, EWIVA and MagicCorner cuts assembly time and guarantees a high standard. Both the front panel and the support frame connector are clipped on in a rapid, toolless process! And then all it takes is a screwdriver for gap adjustment.





Pull-out technology

for 45-cm to 60-cm larder cabinets

CONVOY Centro Larder pull-out for 30-cm to 45-cm cabinets	Page 1⋅A1	
CONVOY Lavido Larder pull-out for 50-cm to 60-cm cabinets	Page 1∙A11	
CONVOY Premio Swivelling larder for 60-cm cabinets	Page 1∙A17	
eTouch for CONVOY Electric opening for CONVOY Centro and CONVOY Lavido	Page 1-A23	
DISPENSA 90° Larder pull-out for 15-cm to 60-cm cabinets	Page 1·A27	
DepotLine storage system Accessories for DISPENSA Swing and DISPENSA 90°	Page 1·15	
DISPENSA Swing Swivelling larder pull-out for 30-cm and 40-cm cabinets	Page 1·17	
DISPENSA Diagonal Pull-out for 30-cm larder unit with angled fronts	Page 1⋅23	
TANDEM swivel pull-out Intelligent pull-out technology for 45-cm to 60-cm larder cabinets	Page 1∙29	
TANDEM Solo	Page 1-34a	



Page 1·35	Storage unit pull-out
	For individual fitting in different width units
Page 1-41	Wine rack and bottle carrier Secure and very convenient storage for bottles
Page 1-43	Storage racks Contemporary flair
Page 1-47	Broom cupboard fittings

For individual fitting to different

width units



CONVOY Centro -

Food storage system with double damping.






Mixed double:

Refrigerator + larder unit

Kesseböhmer's CONVOY Centro provides space enough to store all the groceries for a household in just one unit with a very small footprint. A gentle pull moves the entire contents out in front of the unit – for a clear view from either side and very fast access. It makes kitchen work much easier, saving time and effort, and there's no risk of items being forgotten at the back of a cupboard. Together the refrigerator + CONVOY Centro create a complete storage centre, ideal for a state-ofthe-art kitchen.

Accessible 24 hours a day, 7 days a week.











00 2269





CONVOY Centro pullout fitting

with integrated damping for closing and opening (SoftStopp Pro). Runner with forced synchronisation for 100% reliable function

(Synchromatic).

1 set consists of: bottom runner with premounted cover and top runner guide

Pull-out travel: 470 mm

Clear inside depth: ≥ 500 mm

Permissible load on the pull-out fitting: System weight + front panel + contents =

max. 130 kg


(depends on storage unit design)



incl. front fixing (A) and

front panel fixing with connecting strap (B)





Art. no.	LH	OF	Support post height	Н	Front fixings
00 2240	1000-1099	263-362	630	667	A
00 2241	1100-1199	263-362	730	767	A
00 2242	1200-1299	263-362	830	867	B
00 2243	1300-1399	263-362	930	967	B
00 2244	1400-1499	263-362	1030	1067	B
00 2245	1500-1599	263-362	1130	1167	B
00 2246	1600-1699	263-362	1230	1267	B
00 2247	1700-1799	263-362	1330	1367	B
00 2248	1800-1899	263-362	1430	1467	A + B
00 2249	1900-1999	263-362	1530	1567	$\mathbf{A} + \mathbf{B}$
00 2250	2000-2099	263-362	1630	1667	$\mathbf{A} + \mathbf{B}$
00 2251	2100-2199	263-362	1730	1767	2x A +1x B
00 2252	2200-2300	263-362	1830	1867	2x A +1x B

LH = clear inside height, OF = top compartment, H = frame height



	For cabinet width:	Tray set CON
28 0455	300	4-tray set - c
28 0456	400	1 tray with int
28 0197	450*	3 trays, heigh
		4 accessory b
		2 front bracke
28 0135	300	5-tray set - o
28 0137	400	1 tray with int
28 0138	450*	4 trays, heigh
		5 accessory b

Standard with: **ARENADUS** Anti-slip coating

NVOY Centro

comprises:

tegrated top runner

nt-adjustable

boxes

ets

comprises:

tegrated top runner

nt-adjustable

boxes

2 front brackets

*From 450 mm widths, includes **support** bracket to stabilise the carcase across the bottom panel.

Additional items required for a complete cabinet (order separately)

1 pull-out fitting (art. no. 002269)

for 5-tray set: 1230-1630 mm)

1 support post, height as calculated

(Recommended heights for 4-tray set: 830-1130 mm

Support bracket

to stabilise the carcase bottom panel, necessary for carcase 450 mm and more!



Width:

450 350 00 2349



Front panel connector

with integrated side and torsion adjustment For cabinet width: Width:

300 237 00 2255 400 337 00 2257 450 387 00 2258



Standard with:



Front stabiliser for CONVOY Centro

for filled front panels

For	cabine
wid	th:

00 2263	237 x 40	300
00 2265	337 x 40	400
00 2266	387 x 40	450



Top tray CONVOY Centro with integrated top runner

Permanently joined; not height-adjustable! 1 item

For cabinet width:

300 250 x 470 28 0142 400 350 x 470 28 0144 450 400 x 470 28 0145



Standard with:

Anti-slip coating



The accessory box with sides and back panel must be ordered separately!

Tray CONVOY Centro

height-adjustable

2-tray set

For cabinet width:

300 250 x 470 03 2278 400 350 x 470 03 2288 400 x 470 450 03 2293 300 250 x 470 03 2279 400 350 x 470 03 2289

400 x 470

03 2294



3-tray set



The accessory box with sides and back panel must be ordered separately!

Accessory box CONVOY Centro

contains all gallery elements for one CONVOY Centro tray: 4 clip-on corners, chrome finish 2 clear, toughened glass sides (ESG) 1 clear, toughened glass back (ESG)

For cabinet width:

450

300 00 2308 00 2310 400 450 00 2311








Steplessly adjustable by hand.
Fast and easy – no tools required.



There are **many good reasons** for choosing a CONVOY Centro – consider these:

- [1] Top runner concealed by the tray. Reengineered runner connection means more options with fewer variants.
- [2] Easy loading and unloading from either side.
- [3] Changing tray height is easy and stepless no tools required!
- [4] Just one CONVOY Centro stores all the household's groceries.
- [5] Noiseless action: double damping is standard.
 Plus the automatic closing mechanism has been optimised for CONVOY Centro.
 The silent storage unit!
- [6] Improved action: a new runner system ensures CONVOY glides even more softly out of the cabinet.





Fast, precise fine adjustment!

Synchronisation via a toothed rack guarantees 100% reliability

Broad runner for ultra-smooth action.

Attention to detail is a feature of the new CONVOY Centro – for example, quick and easy adjustment. The setting screws are unobtrusive, but easily accessible. The only tool required is a PZ2 screwdriver.

- Simple, self-explanatory fine adjustment
- Needs only a PZ2 screwdriver
- Direct adjustment no tighten/release mechanism
- Toolless, click-in-place connection for frame and runner system
- Toolless front panel attachment and disassembly
- Easy system disassembly with push-button mechanism







CONVOY Lavido

Captivating, user-friendly, full access.



Choice of materials for front and side galleries




CONVOY Lavido -

everything in easy reach.

Extremely flexible and very good looking.

The CONVOY Lavido highlights the versatility of the whole CONVOY family. The CONVOY Lavido moves independently of the front panel, so that it can be used effectively in varying cabinet designs, for example, behind sliding doors.

This tall pull-out is an elegant storage solution not only for contemporary kitchens, but for wider use, for example, in dining rooms or offices A number of intelligent details make it a high-end technical product.















00 2373

Standard with:
ClickFixx





CONVOY Lavido pull-out fitting

with premounted cover, integrated damping for closing and opening (SoftStopp Pro). Runner with forced synchronisation for 100% reliable function (Synchromatic).

Pull-out travel: 470 mm


Clear inside depth: ≥ 500 mm

Permissible load on the pull-out fitting:

System weight + contents = max. 130 kg
(depends on storage unit design)

Support post CONVOY Lavido





Art. no.	LH	OF	Support post height	
00 2360	1000-1099	285-384	630	
00 2361	1100-1199	285-384	730	
00 2362	1200-1299	285-384	830	
00 2363	1300-1399	285-384	930	
00 2364	1400-1499	285-384	1030	
00 2365	1500-1599	285-384	1130	
00 2366	1600-1699	285-384	1230	
00 2367	1700-1799	285-384	1330	
00 2368	1800-1899	285-384	1430	
00 2369	1900-1999	285-384	1530	
00 2370	2000-2099	285-384	1630	
00 2371	2100-2199	285-384	1730	
00 2372	2200-2300	285-384	1830	

LH = clear inside height, OF = top compartment



For cabinet width:

28 0426 500 **28 0427** 600

28 0430 500 **28 0431** 600

Standard with:

ARENA plus
Anti-slip coating

Tray set CONVOY Lavido

4-tray set - comprises:

1 tray with integrated top runner

3 trays, height-adjustable

4 accessory boxes

1 support bracket

1 fixing brace

1 grip

5-tray set – comprises:

1 tray with integrated top runner

4 trays, height-adjustable

5 accessory boxes

1 support bracket

1 fixing brace

1 grip

Additional items required for

a complete cabinet (order separately)

1 pull-out fitting (art. no. 002373)

1 support post, height as calculated

(Recommended heights for 4-tray set: 830-1130 mm for 5-tray set: 1230-1630 mm) Dimensions (mm) Art. no.

Support bracket

to stabilise the carcase bottom panel

For cabinet width: Width:

500 350 00 2349 600 540 00 2350



Fixing brace CONVOY Lavido

telescopic

for 15 to 19-mm side panel thickness

For cabinet width:

500 00 2376 600 00 2377




Top tray CONVOY Lavido with integrated top runner

Permanently joined; not height-adjustable!

1 item

For cabinet width:

500 450 x 470 03 2384 600 550 x 470 03 2387



Standard with:





Accessory box for top tray

contains all gallery elements for one CONVOY Lavido tray:

4 clip-on corners, chrome finish

2 clear, toughened glass sides (ESG)

1 clear, toughened glass back section (ESG)

1 clear, toughened glass front section (ESG)

For cabinet width:

500 00 2394 600 00 2396



Tray CONVOY Lavido

height-adjustable

2-tray set

3-tray set

For cabinet width:

500 450 x 470 03 2385 600 550 x 470 03 2388

500 450 x 470 03 2386 600 550 x 470 03 2389



Standard with:

ARENADUS



Accessory box CONVOY Lavido

contains all gallery elements for one CONVOY Lavido tray:

6 clip-on corners, chrome finish

2 clear, toughened glass sides (ESG)

2 clear, toughened glass back sections (ESG)

1 clear, toughened glass front section (ESG)



500 00 2395 600 00 2397



Grip CONVOY Lavido

can be stuck onto any tray

00 2398







CONVOY Premio

Ultra-easy access, absolutely smooth action.






CONVOY Premio – effortless overview.

The CONVOY Premio 'floats' all the contents right out of the cabinet.

Opening the door – at an angle of up to 135° – initiates a fluid movement sequence. SoftStopp Pro damping brakes the opening movement and then completes it under precision control. With damped self-closing, the fitting glides softly and silently back into the unit.

Full-extension means a totally unobstructed view – from three sides – of all the contents. The sophisticated engineering that underlies this perfect opening and closing is unobtrusive.



Minimalist design and cantilevered "floating" trays – with the new CONVOY support post











00 2410

Standard with:

ClickFixx





CONVOY Premio pull-out fitting

with premounted cover, integrated damping for closing and opening (SoftStopp Pro). Runner with forced synchronisation for 100% reliable function (Synchromatic).

Pull-out travel: 470 mm


Clear inside depth: ≥ 500 mm

Permissible load on the pull-out fitting:

System weight + contents = max. 130 kg
(depends on storage unit design)

Support post CONVOY Premio





Art. no.	LH	OF	Support post height	
00 2360	1000-1099	285-384	630	
00 2361	1100-1199	285-384	730	
00 2362	1200-1299	285-384	830	
00 2363	1300-1399	285-384	930	
00 2364	1400-1499	285-384	1030	
00 2365	1500-1599	285-384	1130	
00 2366	1600-1699	285-384	1230	
00 2367	1700-1799	285-384	1330	
00 2368	1800-1899	285-384	1430	
00 2369	1900-1999	285-384	1530	
00 2370	2000-2099	285-384	1630	
00 2371	2100-2199	285-384	1730	
00 2372	2200-2300	285-384	1830	

LH = clear inside height, OF = top compartment



For cabinet width: 600 mm

door catch left

door catch right

door catch right

28 0484

28 0485

28 0486

28 0487

Standard with:

ARENADUS

Anti-slip coating

Tray set CONVOY Premio

4-tray set - comprises:

1 tray with integrated runner and control lever

3 trays, height-adjustable

4 accessory boxes

1 support bracket

1 fixing brace

2 front connections

1 control lever, bottom

5-tray set – comprises:

1 tray with integrated runner and control lever

4 trays, height-adjustable

door catch left 5 accessory boxes

1 support bracket

1 fixing brace

2 front connections

1 control lever, bottom

Additional items required for a complete cabinet (order separately)

1 pull-out fitting (art. no. 002410)

1 support post, height as calculated

(Recommended heights for 4-tray set: 830-1130 mm for 5-tray set: 1230-1630 mm) Dimensions (mm) Art. no.

For cabinet width: V

Width:

350 **00 2349**



Fixing brace CONVOY Premio

telescopic

Support bracket

for 15 to 19-mm side panel thickness

to stabilise the carcase bottom panel

For cabinet width:

600 **00 2416**



Top tray CONVOY Premio with integrated top runner

Permanently joined; not height-adjustable! Door catch left

Door catch right

Door outon

Standard with:

ARENA DUS

Anti-slip coating

For cabinet width:

600 480 x 470 **03 2411**

03 2412



Accessory box for top tray

contains all gallery elements for one CONVOY Premio tray:

4 clip-on corners, chrome finish

2 clear, toughened glass sides (ESG)

1 clear, toughened glass back section (ESG)

1 clear, toughened glass front section (ESG)

For cabinet width:

600 **00 2413**



Tray CONVOY Premio

height-adjustable

2-tray set 3-tray set For cabinet width:

600 480 x 470 **28 0482**

28 0483



Standard with:

ARENADUS

Anti-slip coating



contains all gallery elements

for one CONVOY Premio tray:

6 clip-on corners, chrome finish

2 clear, toughened glass sides (ESG)

2 clear, toughened glass back sections (ESG)

1 clear, toughened glass front section (ESG)

For cabinet width:

600 **00 2415**



CONVOY Premio front connection

can be stuck onto any tray

00 2419



Front connection for filled doors

Set for door catch left
Set for door catch right

00 2417 00 2418








eTouch - electronic door opener.
A touch is all it takes!

eTouch for CONVOY Centro








eTouch for CONVOY Centro

for all CONVOY Centro carcase widths

Set (consists of front sensor and drive)

00 2353	with EU-DIN plug
00 2354	with GB/UK plug
00 2355	with US/JP plug
00 2356	with AUS plug



eTouch front sensor for CONVOY Centro

Mounting materials (supplied)

Drive position

for all CONVOY Centro carcase widths		
Assembly	Clip on and lock in place	
Power supply	Battery CR 2032 3V (included in package)	


Motor	
Power connection on device side	Euro 8 as per EN 60320/C8; 1.5 m cable, black
Supply voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Effective power in standby mode	<1 Watt
Dimensions	388 x 48 x 100 mm
Weight	1.2 kg
Push-out weight	120 kg
Housing colour	grey (7930)
Product compatibility	CONVOY Centro with SoftStopp Plus

3 spax screws 4.5 x 100

Against right side of runner

eTouch for CONVOY Lavido





eTouch for CONVOY Lavido


for all CONVOY Lavido carcase widths

Set (consists of grip and drive)

with EU-DIN plug	00 2400
with GB/UK plug	00 2401
with US/JP plug	00 2402
with AUS plug	00 2403



eTouch grip for CONVOY Lavido	
for all CONVOY Lavido carcase widths	
Assembly	glue in place
Power supply	battery CR 2032 3V (included in package)
Motor	
Power connection on device side	Euro 8 as per EN 60320/C8; 1.5 m cable, black
Supply voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Effective power in standby mode	<1 Watt
Dimensions	388 x 48 x 100 mm
Weight	1.2 kg
Push-out weight	120 kg
Housing colour	grey (7930)
Product compatibility	CONVOY Lavido with SoftStopp Plus
Mounting materials (supplied)	3 spax screws 4.5 x 100
Drive position	against right side of runner







DISPENSA 90°-

storage for easy access.




Huge storage capacity and a clear overview.


Each tray or basket can be individually hung at a height to suit the contents, making DISPENSA 90° a flexible solution providing a lot of storage with a very small footprint. The entire height and width of the unit can be fully utilised. It makes best use of available space, and supports good organisation and fast access. All the contents, even on the topmost shelf, are in clear view – from either side!



Choice of trays/baskets







Art. No.

05 4222

Standard with ClickFixx

Part-extension runner system **DISPENSA Vx**

for center suspension of larder unit For loads up to: 100 kg

Available epoxy-coated only!

06 4222

Standard with ClickFixx (SOFTSTOPPPLUS damper


Part-extension runner system **DISPENSA Vx**

for center suspension of larder unit For loads up to: 100 kg

Available epoxy-coated only!

DISPENSA Vx Part-extension runner

Frame height = inside cabinet height	-55 mm
S = height of bottom runner:	43 mm
B = inside cabinet width:	from 112 mm
T = inside cabinet depth:	≥ 500 mm
L = extension:	370 mm
Load:	≤ 100 kg



08 4235

Standard with SOFTSTOPPPLUS damper Standard with

ClickFixx

Standard with Synchromatic

DISPENSA VVSx

Full-extension runner system

reduced height

for center suspension of larder unit


For loads up to: 100 kg

Available epoxy-coated only!

DISPENSA VVSx

Full-extension runner reduced height

Frame height = inside cabinet height	-55 mm
S = height of bottom runner:	35 mm
B = inside cabinet width:	from 212 mm
T = inside cabinet depth:	≥ 500 mm
L = extension:	470 mm
Load:	≤ 100 kg



00 4243



SoftStopp Pro


Opening damper

Option for DISPENSA VVSx full-extension pull-out fitting with Sychromatic

Set combinations of frames and runner systems

Inside cabinet height for each runner system

Frames	Art. no.	VVSx and Vx
Frame, fixed height Front panel struts	05 4380 00 4214	1727 mm
Set 1 (frame + front struts)	23 2219	
Frame, height adjustable Front panel struts	05 4381 00 4215	1200-1600 mm
Set 2 (frame + front struts)	23 2220	
Frame, height adjustable Front panel struts	05 4382 00 4216	1600-2000 mm
Set 3 (frame + front struts)	23 2221	
Frame, height adjustable Frontstrips	05 4383 00 4217	1900-2300 mm
Set 4 (frame + front struts)	23 2222	





Dimensions (mm) Art. no.

Baskettray hooks DISPENSA

Set (2 pcs)

for height-adjustable frames


height: 125

00 4276

Use of ordering tray hooks (00 4276) for height adjustable frames

Frame Art. no.	Height-adjustable	Installatio from	n height to	No. of sets
05 4381	1200-1600 mm	1325	1449 mm	1
		1450	1574 mm	2
		1575	1600 mm	3
05 4382	1600-2000 mm	1725	1849 mm	1
		1850	1974 mm	2
		1975	2000 mm	3
05 4383	1900-2300 mm	2025	2149 mm	1
		2150	2274 mm	2
		2275	2300 mm	3





Front brackets DISPENS (2 pcs) for cabinet width: Available epoxy-coated only!	150 mm 250 mm 300 mm 400 mm 450 mm 500 mm 600 mm	Dimensions (mm) width 107 mm 200 mm 250 mm 350 mm 400 mm 450 mm	Art. no. 23 3551 05 4369 05 4366 05 4367 05 4368 05 4373 05 4374	
Stabilizer for filler fronts for cabinet width: Available epoxy-coated only!	300 mm 400 mm	width 250 mm 350 mm	00 4220 00 4221	
Front panel stabilizer install at any height Available epoxy-coated only!		WxDxH 160 x 28 x 20	00 4350	
Stabilizing bar		for side width: 268 368	00 4357 00 4358	



Transport clip

00 1999

Secures trays and baskets during transport











The top of the frame is positioned at the top of the front panel





The bottom is slid into place and – click!





The runner is snapped onto the frame – click! Then the whole fitting is pushed into the cabinet. Done!

Fast assembly.

A couple of clicks do the trick.





















Just a standard PZ2 screwdriver and two setting screws – at the top and bottom of the frame – simplify fine adjustment.

Turning the screws has an immediately visible effect. This makes adjustment quicker and easier – and also much more precise. And all it takes is a screwdriver!






TouchControl – electric opening for larder cabinets.







ouchControl		
arts to be used	2	

Drive	
Mains connection	GB/UK plug with 1.5 m black cable
Supply voltage	110-240 V AC, 50-60 Hz, min. 2 A
Actual power output	60 Watt
Standby active power	4 Watt
Dimensions	333 x 68 x 77 mm (L x W x H)
Weight	1.6 kg
Max. weight inclusive fitting	120 kg
Min. weight inclusive fitting	20 kg
Colour of the casing	white, silver
Commissioning	Plug & Play
Product compatibility	DISPENSA VVS with SoftStopp Plus
Cabinet width	30, 40, 45, 50, 60 cm
Help with fitting	template
Enclosures	4 screws (4.5 x 80)
Orive position	right beside the runner-system

Sensor

Fitting instructions clip on and adjust

ArtNo.	white	silver
TouchControl with EU-DIN plug	09 4246 9010	09 4246 9006
TouchControl with GB/UK plug	09 4247 9010	09 4247 9006
TouchControl with US/JP plug	09 4248 9010	09 4248 9006
TouchControl with AUS plug	09 4249 9010	09 4249 9006



DepotLine – practical storage accessories for larder units.





Optimise use of space and keep order in a larder unit.

Practical and decorative storage jars made of high quality transparent plastic – optional accessories for DISPENSA Swing and DISPENSA 90° larder units.



Storage jar set

for DISPENSA Swing and DISPENSA 90° larder units consisting of: 1 storage rack

4 transparent jars (1.2 litres) with grey lids

Art. no. 00 4391



Storage box set

for DISPENSA Swing and DISPENSA 90° larder units consisting of:

- 1 storage rack
- 2 transparent open boxes
- 1 removable divider

Art. no. 00 4392



DISPENSA Swing – the larder unit pull-out that swivels left or right!



For kitchens that swing into **action**!

Like other DISPENSA units, DISPENSA Swing has individually height adjustable baskets/trays to maximise space utilisation. Its special feature is its ability to turn on its own axis when it is fully extended.

It can be turned left or right for easy access to either side. Finding and retrieving contents is quick and easy.








Choice of trays/baskets








DISPENSA Swing-x

S = System height*: *Runner bottom edge to frame bottom ed	85.5 mm Ige
Height of frame: inside cabinet height	-127 mm
B = Inside cabinet width:	from 262.0 mm
T = Inside cabinet depth:	≥ 500.0 mm
L = Extension:	538.0 mm
Load:	≤ 70 kg

DISPENSA Swing-x	Art. no.	Cabinet height
frame	05 4431	1200-1400 mm
front panel connector strips	00 4432	
Set 1 (frame + front panel connector strips)	23 2225	
frame	05 4433	1400-1600 mm
front panel connector strips	00 4434	
Set 2 (frame +		
front panel connector strips)	23 2226	
frame	05 4435	1600-1800 mm
front panel connector strips	00 4436	
Set 3 (frame +		
front panel connector strips)	23 2227	
frame	05 4437	1800-2000 mm
front panel connector strips	00 4438	
Set 4 (frame +		
front panel connector strips)	23 2228	
frame	05 4439	2000-2200 mm
front panel connector strips	00 4440	
Set 5 (frame +		
front panel connector strips)	23 2229	

DISPENSA Swing-x for corner installation



Dimensions (mm) Art. no.

DISPENSA Swing-x

Over-extension runner with integrated swivel mechanism; For loads up to: 70 kg









Frame height: **DISPENSA Swing-x** 1076-1276 05 4431 1276-1476 05 4433 telescopic 1476-1676 05 4435 For installation dimensions see table on the left 1676-1876 05 4437 1876-2076 05 4439 Available epoxy-coated only!


Frame and front panel connector strips are also available as sets (see table on the left)







DISPENSA height: 1107-1307 00 4432 front panel connector strips height-adjustable 1307-1507 00 4434 00 4436 set (2 pcs) 1507-1707 1707-1907 00 4438 Available epoxy-coated only! 00 4440 1907-2107 Frame and front panel connector strips are also available as sets (see table on the left)



Front bracket DISPENSA-x

set (2 pcs) Width:

for cabinet width: 250 05 4366 300 mm 400 mm 350 05 4367 Standard with



Available epoxy-coated only!



Stabilizer

for filler fronts Width:

for cabinet width: 300 mm 250 00 4220 400 mm 350 00 4221

Available epoxy-coated only!




160 x 28 x 20 install at any point 00 4350

WxDxH

Available epoxy-coated only!





N	
1	
11/1-1	

WxDxH 05 4385 250 x 462 x 106 05 4386 350 x 462 x 106

Clip-on tray ARENA Style

for cabinet width: 300 mm

400 mm

ARENADUS



for baskets for cabinet width:

05 4355 300 mm 05 4356 400 mm

250 x 462 x 106

350 x 462 x 106


WxDxH



Clip-on tray ARENA Vario for cabinet width:

300 mm 400 mm

On request with **ARENADUS**



WxDxH

00 4385 250 x 462 x 106 00 4386 350 x 462 x 106

WxDxH

WxDxH

238 x 450 x 12

338 x 450 x 12

Clip-on tray ARENA Classic

for cabinet width: 300 mm 400 mm

On request with ARENA plus anti-slip finish



for cabinet width:

00 1996 250 x 467 x 110 300 mm 400 mm 00 1997 350 x 467 x 110

Clip-on metal basket DISPENSA

Divider for ARENA Classic and metal baskets



for cabinet width:

300 mm 400 mm



Plastic dish

fits into clip-on metal baskets for cabinet width: 300 mm (Art. 00 1996)

400 mm (Art. 00 1997)



Basket clip

Secures baskets during transport



DISPENSA Diagonal – an elegant slant for the last unit in a run.



Angled front panel for individual kitchen designs.

DISPENSA Diagonal gives kitchen planners new options for including a larder pull-out in any kitchen design.



Choice of trays/baskets

Metal baskets






ARENA Classic







DISPENSA diagonal-x larder pull-out

Full-extension VVD
from 262 mm
≥ 500 mm
≥ 494 mm
415 mm
≤ 80 kg




Fitting the front is easy

ClickFixx



	Dimensions (mm)	Art. no
Frame DISPENSA Diagonal-x	WxDxH	
left hand cabinet	25 x 455 x 1005	06 327
	25 x 455 x 1165	06 329
	25 x 455 x 1393	06 329
	25 x 455 x 1710	06 329
	25 x 455 x 2010	06 329
right hand cabinet	25 x 455 x 1005	05 327
	25 x 455 x 1165	05 329
Available epoxy-coated only!!	25 x 455 x 1393	05 329
	25 x 455 x 1710	05 329
	25 x 455 x 2010	05 329







Full-extension runner **DISPENSA Diagonal-x**

for installation left or right for loads up to: 80 kg

Available epoxy-coated only!!


Standard with

ClickFixx

Standard with



01 3340



SoftStoppPLUS damper

for DISPENSA Diagonal-x DISPENSA VVD (Art. No. 01 3340) left hand cabinet

right hand cabinet

Colour code: grey (7046)











for installation left or right

Colour code: grey (9006)









Art. no.	WxDxH (mm)

228 x 470 x 75 $\alpha = 55^{\circ}$ 228 x 470 x 75 α = 52 $^{\circ}$

228 x 470 x 75 α = 45 $^{\circ}$

Clip-on tray ARENA Style **DISPENSA Diagonal**

for right-hand cabinet, slant right

On request with ARENADUS anti-slip finish

228 x 470 x 75 Clip-on tray ARENA Style $\alpha = 55^{\circ}$ **DISPENSA Diagonal**

228 x 470 x 75 for left-hand cabinet, slant left α = 52 $^{\circ}$

> On request with 228 x 470 x 75 **ARENADUS** α = 45° anti-slip finish

228 x 470 x 88 Clip-on tray ARENA Classic $\alpha = 55^{\circ}$ **DISPENSA Diagonal**

228 x 470 x 88 for right-hand cabinet, slant right

228 x 470 x 88 ARENADUS α = 45° anti-slip finish

228 x 470 x 88 Clip-on tray ARENA Classic $\alpha = 55^{\circ}$ **DISPENSA Diagonal** 228 x 470 x 88 for left-hand cabinet, slant left

228 x 470 x 88 **ARENADUS** $\alpha = 45^{\circ}$ anti-slip finish

00 5046 228 x 467 x 74 Clip-on metal basket α = 55 $^{\circ}$ **DISPENSA Diagonal** 00 5053 for right-hand cabinet, slant right 228 x 467 x 74

 α = 52 $^{\circ}$ 00 5071 228 x 467 x 74

00 5045 228 x 467 x 74 $\alpha = 55^{\circ}$

 α = 45°

00 5052 228 x 467 x 74 α = 52 $^{\circ}$

00 5070 228 x 467 x 74 $\alpha = 45^{\circ}$

Clip-on metal basket **DISPENSA Diagonal** for left-hand cabinet, slant left

05 3298 length: 300 $\alpha = 55^{\circ}$

05 3278 length: 355 α = 45°

Clip-on front bracket **DISPENSA Diagonal** Other front angles on request!

Available epoxy-coated only!

Standard with ClickFixx



TANDEM swivel pull-out -

two shelf elements behind one door.



More storage space, **better organised**, better access.

TANDEM offers completely new potential for food storage – just opening the door is an inspiration. In a clever piece of engineering, the back shelf element moves automatically towards the user as the door is pulled open. Kitchen users can check contents at a glance and easily reach what they want. The shelf element on the door is designed to make best use of the available space.

Double the gain by installing two TANDEMs in one kitchen unit: as a TANDEM Depot, in 90-, 100- and 120-cm units.



Trays and baskets can be fitted at different levels

Smooth, silent opening and closing

Simplified assembly

Generous storage space in the door shelf



Metal baskets

Choice of trays/baskets






ARENA Classic







Small TANDEM – **big benefits**!

In tall units with a coffee machine, steamer, oven or microwave integrated at an ergonomic height, a TANDEM unit fitted underneath is the ideal pairing. By splitting up the storage space, it makes for clearer organisation and fast access. Underneath a coffee machine, for example, one could store mugs, coffee, sugar – all in clear view and easy reach. It's the ideal system for themed kitchen units and fits into the standard niche for a built-in refrigerator.







TANDEM swivel pull-out

Cabinet width	45 cm	50 cm	60 cm
B = Inside width:	≥ 412 mm	≥ 462 mm	≥ 562 mm
T = Inside depth:	≥ 500 mm	≥ 500 mm	≥ 500 mm
H = Inside height:			3-tier: from 800 mm
	4-tier: from 1100 mm	4-tier: from 1100 mm	4-tier: from 1100 mm
	6-tier: from 1700 mm	6-tier: from 1700 mm	6-tier: from 1700 mm
W = Opening angle:	110°	110°	110°
max. load for 6 layers:	pull-out shelf: 50 kg	pull-out shelf: 50 kg	pull-out shelf: 60 kg
	door shelf: 20 kg	door shelf: 20 kg	door shelf: 25 kg

Dimensions	(mm)) Art. ı	10.
------------	------	----------	-----

Clip-on shelf ARENA Style for TANDEM swivel pull-out

WxDxH for cabinet width: 450 mm 383 x 275 x 75 **05 3434** 500 mm 433 x 275 x 75 **05 3439** 600 mm 518 x 275 x 75 **05 3444**





Clip-on shelf ARENA Classic for TANDEM swivel pull-out

WxDxH for cabinet width: 450 mm 383 x 275 x 88 **01 3434** 500 mm 433 x 275 x 88 **01 3439**

600 mm





Clip-on metal basket for TANDEM swivel pull-out

		WxDxH	
for cabinet width:	450 mm	368 x 275 x 80	00 3434
	E00 mm	410 × 275 × 00	00 2420

500 mm 418 x 275 x 80 **00 3439** 600 mm 518 x 275 x 80 **00 3444**

518 x 275 x 88

01 3444







TANDEM Solo -

our basic larder pull-out.





Opening the door draws the fitting automatically out of the unit.

Users can choose and change the position of the hook-on trays

Support frame attached to carcase sides, so independent of carcase height - also ideal for highboards

On request with:

ARENA pus anti-slip coating

Variants

ARENA Classic



ARENA Style



TANDEM Solo

Carc	ase width	450 mm	500 mm	600 mm
B =	inside carcase width:	≥ 412-420	≥ 462-470	≥ 562-570
T =	inside carcase depth:	≥ 495	≥ 495	≥ 495
W =	opening angle:	110°	110°	110°
A =	pull-out travel:	290	330	330
Max.	payload:	80 kg	80 kg	80 kg

Fitting set TANDEM Solo

consists of:

- 1 frame
- 1 top runner
- 1 top brace for 15-19 mm side panels
- 1 set door connectors
- 1 set control lever
- 1 bottom runner
- 1 bottom profile

Inside carcase height (min.)	Support frame height (mm)	For carcase width	Art. no.
1300	1136	450 mm	00 3460
1400	1236		00 3461
1700	1536		00 3462
1800	1636		00 3463
1300	1136	500 mm	00 3467
1400	1236		00 3468
1700	1536		00 3469
1800	1636		00 3470
1300	1136	600 mm	00 3474
1400	1236		00 3475
1700	1536		00 3476
1800	1636		00 3477




Tray sets ARENA Style for TANDEM Solo

IOI IAITELIII COIC			
		BxDxH	
1-tray set			
for carcase width:	450 mm	328 x 420 x 88	05 3464
	500 mm	378 x 420 x 88	05 3471
	600 mm	478 x 420 x 88	05 3478
2-tray set			
for carcase width:	450 mm	328 x 420 x 88	05 3465
	500 mm	378 x 420 x 88	05 3472
	600 mm	478 x 420 x 88	05 3479
3-tray set			
for carcase width:	450 mm	328 x 420 x 88	05 3466
	500 mm	378 x 420 x 88	05 3473
On request with	600 mm	478 x 420 x 88	05 3480
ARENA plus anti-slip coating			



Tray sets ARENA Classic for TANDEM Solo

101 1711122111 0010		BxDxH	
1-tray set		BABAIT	
for carcase width:	450 mm	328 x 420 x 88	01 3464
	500 mm	378 x 420 x 88	01 3471
	600 mm	478 x 420 x 88	01 3478
2-tray set			
for carcase width:	450 mm	328 x 420 x 88	01 3465
	500 mm	378 x 420 x 88	01 3472
	600 mm	478 x 420 x 88	01 3479
3-tray set			
for carcase width:	450 mm	328 x 420 x 88	01 3466
	500 mm	378 x 420 x 88	01 3473
On request with ARENA plus anti-slip coating	600 mm	478 x 420 x 88	01 3480







Pantry pull-out – fitted above a built-in appliance, it provides well-organised, efficient storage.





Pantry pull-out

Two pull-outs side-by-side in a 60-cm cabinet – with ARENA trays or metal baskets. Elements pull out separately.



Choice of trays/baskets

Metal baskets



ARENA Classic



ARENA Style



Dimensions (mm) Art. no.

Inside cabinet height: 609 mm

00 6307

465 x 596

Inside cabinet height: 870 mm

465 x 857

00 6308



Frame

fits runner,

for left- and right-handed doors

Runner

height: 2 x 27 mm max. load: 20 kg

Colour code: galvanized (0007) length: 453

00 6309



Clip-on tray ARENA Style

ARENADUS

WxDxH

110 x 470 x 75 05 5140 160 x 470 x 75 05 5141 228 x 470 x 75 05 5142 295 x 470 x 75 05 6206




Clip-on tray ARENA Classic

On request with ARENA plus anti-slip finish

WxDxH

01 5140 110 x 470 x 88 160 x 470 x 88 01 5141 228 x 470 x 88 01 5142 295 x 470 x 88 01 6206



Clip-on metal basket

WxDxH 00 5140 110 x 470 x 75 160 x 470 x 75 00 5141 210 x 470 x 75 00 5142 320 x 470 x 75 00 5143







Art. no. Dimensions (mm)

00 6288 depth: 500

adjustable from 1160-1495 mm with runner system

Pantry pull-out, height-adjustable

Load max.: 40 kg

Available epoxy-coated only!



WxDxH
05 5140 110 x 470 x 75
05 5141 160 x 470 x 75
05 5142 228 x 470 x 75
05 6206 295 x 470 x 75

Clip-on tray ARENA Style

On request with ARENA plus anti-slip finish

	Dimensions (mm)	Art. no.	
Olin on Augus ADENIA Olingia	MwDwll		
Clip-on tray ARENA Classic	WxDxH 110 x 470 x 88	01 5140	
			386
On request with	160 x 470 x 88	01 5141	
ARENAplus	228 x 470 x 88 305 x 470 x 88	01 5142 01 6206	
anti-slip finish	303 X 470 X 66	01 0200	
Clip-on metal basket	WxDxH		
•	110 x 470 x 75	00 5140	
	160 x 470 x 75	00 5141	8/
	210 x 470 x 75	00 5142	
	320 x 470 x 75	00 5143	
Inside pull-out I	WxDxH		
ARENA	352 x 488 x 125	01 8646	
with integrated runner cover,	402 x 488 x 125	01 8647	
for full-extension ball bearing runners	452 x 488 x 125	01 8648	
Art. no. 00 7093 and 00 7094	552 x 488 x 125	01 8649	
With hinged doors use spacer strip Art. no. 00 8756			
Installation details: see table, page 2:22	377 x 488 x 125	01 8650	
motanation dotano. Goo table, page 222	427 x 488 x 125	01 8651	
	527 x 488 x 125	01 8652	
On request with ARENA plus anti-slip finish			
Inside pull-out III	WxDxH		
metal	345 x 500 x 127	00 8646	
with integrated cover for runners	395 x 500 x 127	00 8647	
for full-extension ball bearing runners	445 x 500 x 127	00 8648	
Art. no. 00 7093 and 00 7094	545 x 500 x 127	00 8649	
With hinged doors use spacer strip Art. no. 00 8756			TI TI
Installation details: see table, page 2.23	370 x 500 x 127	00 8650	
	420 x 500 x 127	00 8651	
	520 x 500 x 127	00 8652	
Full-extension ball bearing runner	length: 500	00 7094	
Pull-out 560 H 5000 B			
with self-closing mechanism			
Load max.: 30 kg			
Colour code: galvanized (0007)			





Wine rack and bottle carrier





Art. no. Dimensions (mm)

WxDxH **00 2036** 260 x 185 x 624 **00 2040** 260 x 185 x 490 Wine rack 5-tier 4-tier



00 1124

WxDxH 195 x 210 x 302 **Bottle basket** with glides; for 4 bottles



WxDxH **00 1125** 195 x 298 x 302 **Bottle basket** with glides; for 6 bottles



00 1123

WxDxH 195 x 410 x 302 Bottle basket with glides; for 8 bottles



Storage racks









Where style counts:

These attractive storage racks are available in different sizes. They look good behind glass or as open shelving.






Rack supports – for 16 and 19 mm panel thickness – also function as transport safety clips.



Storage racks (sold as pack of 2)

Incl. 4 rack supports, 4 spax (Ø 4 x 20 mm) and 4 euro screws (Ø 6.3×19 mm) per rack

Inside cabinet width	Width x depth of shelf (mm)	Art. no.	Inside cabinet width	Width x depth of shelf (mm)	Art. no.	Inside cabinet width	Width x depth of shelf (mm)	Art. no.
418/412	407 x 260	006158	418/412	407 x 445	006165	418/412	407 x 490	006172
468/462	457 x 260	006159	468/462	457 x 445	006166	468/462	457 x 490	006173
568/562	557 x 260	006160	568/562	557 x 445	006167	568/562	557 x 490	006174
768/762	757 x 260	006161	768/762	757 x 445	006168	768/762	757 x 490	006175
868/862	857 x 260	006162	868/862	857 x 445	006169	868/862	857 x 490	006176
968/962	957 x 260	006163	968/962	957 x 445	006170	968/962	957 x 490	006177
1168/1162	1157 x 260	006164	1168/1162	1157 x 445	006171	1168/1162	1157 x 490	006178





Broom cupboard fittings







Practical racks and baskets clip into parallel rails at chosen heights

Screw-on hook rail and holders for cleaning equipment.





Art. no. Dimensions (mm)

00 2000 length: 1500 **00 2001** length: 528

Vertical door rail takes different elements

Available epoxy-coated only!

B

	Dimensions (mm)	Art. no.	
Hook rail clips into the frame at chosen height with 4 hooks distance between rails: 295 mm c/c with 5 hooks distance between rails: 395 mm c/c	WxDxH 300 x 43 x 49 400 x 43 x 49	00 2009 00 2004	
Clip-on metal basket clips into the frame at chosen height distance between rails: 295 mm c/c distance between rails: 395 mm c/c	WxDxH 300 x 75 x 72 300 x 200 x 72 400 x 75 x 72 400 x 200 x 72	00 2008 00 2010 00 2003 00 2002	
Vacuum hose holder clips into the frame at chosen height distance between rails: 295 mm c/c	WxDxH 300 x 75 x 224	00 2006	
Nozzle and tube holder clips into the frame at chosen height distance between rails: 295 mm c/c	WxDxH 300 x 60 x 190	00 2007	
Dustpan and brush rack clips into the frame at chosen height distance between rails: 295 mm c/c	WxDxH 400 x 115 x 160	00 2011	



Dimensions (mm) Art. no.

WxDxH 390 x 83 x 765 00 1085

Vacuum cleaner hose and accessory rack solid metal



WxDxH310 x 78 x 224 00 2095

Hose holder



WxDxH 00 1081 403 x 208 x 624 403 x 208 x 900 00 1080

Broom cupboard shelf set

3-tier 4-tier



WxDxH 00 1079 368 x 103 x 79

Cleaning agent basket



WxDxH00 1078 350 x 43 x 49 00 1077 350 x 44 x 48

srew onto vertical surface with 5 hooks srew under horizontal surface with 5 hooks Vacuum cleaner hose and accessory rack

Available epoxy-coated only!

Dimensions (mm)

WxDxH

300 x 80 x 760 **00 1089**

Art. no.



Broom cupboard shelf set

small

Available epoxy-coated only!!

WxDxH

272 x 140 x 715 **00 6052**



Broom cupboard shelf set

large

Available epoxy-coated only!

WxDxH

350 x 174 x 872 **00 6053**



Vacuum cleaner hose holder

Width: 220

00 2082





Hob safety guard

For hob widths 60 and 90 cm

No 15 base unit pull-out For 90° and diagonal front panels Multifunctional	Page 2·A1	
COOKINGAGENT For 90° front panels Multifunctional	Page 2·A9	
COMFORT base unit pull-out For 90° and diagonal front panels	Page 2·9	
DISPENSA Junior For widths from 30 – 60 cm Bottom panel mounting	Page 2·15	
Pull-outs and inside pull-outs For base units 40, 45, 50 and 60 cm wide	Page 2•19	
TANDEM swivel pull-out Swivel pull-out withtreid-and-tested follower system	Page 2-27	
Special fittings Bread and bottle pull-outs, bottle baskets for base unit	Page 2-29	
PORTERO pull-out & accessories for cleaning agents Practical, well-planned storage for cleaning agents and detergents	Page 2-33	
CleaningAGENT Practical, well-planned storage for cleaning agents and detergents	Page 2-36a	

Page 2-39





Page 2-41

Storage racks

Widths up to 120 cm

Page 2-45

Swing-up fittings


Kitchen aids stored under the worktop swing into action

For base units from 45 to 60 cm



No.15 — base unit pull-out — makes great use of narrow gaps.

Top front connection for towel rail and baking tray pull-out



no.15 – Ultra-slim pull-outwith ClickFixx.Now with 3D front adjustment!

Two interface options for the 3D-X No.15 pull-out make for easy integration in any production process. The fitting can now either be clipped onto the runner without tools or connected using a front panel connector.

3D front adjustment makes adjustment ultra-simple.

Product features

- ClickFixx clip-on connection for fitting and runner or fitting and front panel.
- Toolless 3D front adjustment
- Can be installed with or without front panel,
 SoftStopp Plus with self-closing
- Available for the 90° version of towel rail, baking tray holder and 2-tray No.15 pull-out.

Top front connector for 2-tray pull-out



Front panel connector


Side adjustment

Tilt adjustment

Height adjustment

Toolless 3D front adjustment


Height and tilt are adjusted on the bottom front connector. The top front connector with its 'floating' bearing automatically keeps the connectors parallel when bottom connector height is changed.




Bottom front connector for 2-tray fitting and for towel rail and baking tray pull-out.









No.15 base unit pull-out, 90° front panel angle

2 trays	3 trays
≥ 112 mm	≥ 112 mm
≥ 481 mm	≥ 481 mm
≥ 542 mm	≥ 755 mm
380 mm	595 mm
	≥ 112 mm ≥ 481 mm ≥ 542 mm



Art. no. Dimensions (mm)

> for 90° unit attach right Maximum load: 12 kg

No. 15 base unit pull-out, STYLE, 2 trays

complete;

(SOFTSTOPP

incl. textured metal trays and full-extension runners

03 5412

05 5412 3D-X

ClickFixx

1∠ 3D Adjust



for 90° unit attach right Maximum load:

12 kg

No. 15 base unit pull-out, CLASSIC, 2 trays complete;

Standard with SOFTSTOPP

incl. textured metal trays and full-extension runners

01 5412

04 5412 3D-X ClickFixx



03 5413 for 90 $^{\circ}$ unit

attach right

12 kg

Maximum load:

No. 15 base unit pull-out, STYLE, 3 trays complete;

incl. textured metal trays and full-extension runners





for 90° unit

attach right


Maximum load: 12 kg



complete;


incl. textured metal trays and full-extension runners





No.15 base unit pull-out 45° angled front

		2 trays
B =	inside carcase width:	≥ 112 mm
T =	inside carcase depth:	≥ 495 mm
H =	inside carcase height:	≥ 540 mm
h =	hole distance:	380 mm
h =	hole distance:	380 mm





No.15 base unit pull-out STYLE diagonal, 2 trays

incl. textured metal trays and full-extension runners



Dimensions (mm) Art. no.

for 45° angled unit 03 5410
attach right

for 45° angled unit 03 5411

attach left



No.15 base unit pull-out CLASSIC diagonal, 2 trays

incl. textured metal trays and full-extension runners



for 45° angled unit **01 5410** attach right

for 45° angled unit **01 5411** attach left



Divider STYLE (photo left) for No.15 base unit pull-out

Divider CLASSIC (photo right)

for No.15 base unit pull-out

01 5293


00 5293







The No.15 towel rail and the tray and baking tray rack offer practical and customizable ways of using space in narrow base units.



B = inside carcase width:	≥ 112 mm
T = inside carcase depth:	≥ 481 mm
H = inside carcase height:	≥ 592 mm
h = hole distance:	380 mm



Art. no. Dimensions (mm)

for 90° unit

No.15 towel-rail pull-out STYLE

complete; incl. full-extension runners

attach right

Maximum load:

12 kg



03 5418

05 5418 3D-X ClickFixx

ClickFixx



No.15 towel-rail pull-out CLASSIC complete; incl. full-extension runners





for 90° unit

attach right

Maximum load: 12 kg

SOFTSTOPP

01 5418

04 5418 3D-X



















Dimensions (mm) Art. no.

No. 15 baking tray and tray pull-out STYLE

complete; incl. full-extension runners

Standard with (SOFTSTOPP

ClickFixx

ClickFixx

3D Adjust

for 90° unit

attach right

Maximum load: 12 kg

03 5419

3D-X 05 5419



No.15 baking tray and tray pull-out CLASSIC for 90° unit

complete; incl. full-extension runners

attach right

Maximum load: 12 kg

SOFTSTOPP

Standard with

ClickFixx

ClickFixx

3D Adjust

01 5419

3D-X

04 5419







cookingAGENT -

the new solution for creative kitchens.



Well-organised for good cooking: **cookingAGENT**.

It's the modular design design that makes a cooking AGENT so versatile and flexible. Users choose the elements they want – and how to organise them.

cookingAGENT has space for everything – spices, oils and sauces, chopping boards, knives, even plates and bowls. It's every cook's dream – everything you need is right where you need it as you cook. cookingAGENT is a true full-extension pull-out that moves all the contents completely out in front of the cabinet. What could be better?



Streamlined wire surround, one-piece base

Modular design.

Arrange and change elements.

All plastic elements dishwasher safe and detachable for easy cleaning.







cookingAGENT

Set consists of:

- 1 system carrier for bottom mounting
- 3 lift-out metal baskets
- 5 lift-out plastic containers
- 1 handle (for inside pull-out)
- 8 dividers
- 1 accessory bag mounting plate
- 1 accessory bag front connectors

(for pull-out front panel)

Pull-out, bottom-mounted Pull-out, side-mounted

Inside pull-out, bottom-mounted

Dimensions (mm)

Art. no.







COMFORT base unit pull-out



Small dimensions – extra convenience!

With a choice of trays and tray heights, a COMFORT base unit pull-out adapts easily to the user's requirements. Other benefits: the range of widths, ultra-simple assembly, perfect damping and concealed runners.



Choice of tray/basket styles

Metal baskets





ARENA Classic





ARENA Style















Base unit pull-out COMFORT 90° front angle

B = inside cabinet width:	basket width + 33 mm	
T = inside cabinet depth:	≥ 485 mm	
H = inside cabinet height:	≥ 499 mm (Art. no. 01 5165/01 5166),	h = 439 mm
	≥ 599 mm (Art. no. 01 5169/01 5170),	h = 539 mm
	≥ 663 mm (Art. no. 01 5173/01 5174),	h = 603 mm



Base unit pull-out COMFORT diagonal 45°

B = inside cabinet width:	basket width + 33 mm	
T = inside cabinet depth:	≥ 515 mm	
H = inside cabinet height:	≥ 499 mm (Art. no. 01 5165/01 5166),	h = 439 mm
	≥ 599 mm (Art. no. 01 5169/01 5170),	h = 539 mm
	≥ 663 mm (Art. no. 01 5173/01 5174),	h = 603 mm

Base unit pull-out COMFORT diagonal 52°

B = inside cabinet width:	basket width + 33 mm	
T = inside cabinet depth:	≥ 508 mm	
H = inside cabinet height:	≥ 499 mm (Art. no. 01 5165/01 5166),	h = 439 mm
	≥ 599 mm (Art. no. 01 5169/01 5170),	h = 539 mm
	≥ 663 mm (Art. no. 01 5173/01 5174),	h = 603 mm

Base unit pull-out COMFORT diagonal 55°

B = inside cabinet width:	basket width + 33 mm	
T = inside cabinet depth:	≥ 505 mm	
H = inside cabinet height:	≥ 499 mm (Art. no. 01 5165/01 5166),	h = 439 mm
	≥ 599 mm (Art. no. 01 5169/01 5170),	h = 539 mm
	≥ 663 mm (Art. no. 01 5173/01 5174),	h = 603 mm

	Dimensions (mm)	Art. no.	
Full-extension frame COMFORT	left-hand cabinet:		1 1
max. load: 24 kg	height: 497	01 5165	1 1
max. roud. 24 kg	height: 597	01 5169	
Available powder-coated only!	height: 661 right-hand cabinet:	01 5173	
Standard with	height: 497	01 5166	
(SOFTSTOPP	height: 597 height: 661	01 5170 01 5174	
damper	neight. 001	010174	
Front bracket 90° (left)		01 5147	
for base unit pull-outs			
Front bracket diagonal (right)	front angle: 45°	01 5148	3.0
for diagonal base unit pull-outs	front angle: 52°	01 5049	
Other front angles on request	front angle: 55°	01 5049	
	Tront angle: 00	0.00.0	
Hook-on tray ARENA Style	WxDxH		
for base unit pull-outs	110 x 470 x 75	05 5140	
	160 x 470 x 75	05 5141	
On request with ARENA plus	228 x 470 x 75	05 5142	17
anti-slip finish	295 x 470 x 75	05 6206	
Hook-on tray ARENA Classic	WxDxH		
for base unit pull-outs	110 x 470 x 88	01 5140	
	160 x 470 x 88	01 5141	
On request with	228 x 470 x 88	01 5142	
ARENAPLUS anti-slip finish	295 x 470 x 88	01 6206	
Hook-on metal basket	WxDxH		
for base unit pull-outs	110 x 470 x 75	00 5140	
	160 x 470 x 75	00 5141	
	210 x 470 x 75	00 5142	
	320 x 470 x 75	00 5143	
Hook-on tray ARENA Style	WxDxH for slant left		
for diagonal base unit pull-outs	45° 228 x 470 x 75	05 5070	The state of the s
3	52° 228 x 470 x 75	05 5052	
	55° 228 x 470 x 75	05 5072	
On request with ARENAPUS	WxDxH for slant righ	t	
anti-slip finish	45° 228 x 470 x 75	05 5071	
	52° 228 x 470 x 75	05 5053	
	55° 228 x 470 x 75	05 5073	
Hook-on tray ARENA Classic	WxDxH for slant left		
for diagonal base unit pull-outs	45° 228 x 470 x 88	01 5070	1
and pair out	52° 228 x 470 x 88	01 5052	
	55° 228 x 470 x 88	01 5072	all all a
On request with ARENAPUS	WxDxH for slant righ	t	
anti-slip finish	45° 228 x 470 x 88	01 5071	
	52° 228 x 470 x 88 55° 228 x 470 x 88	01 5053 01 5073	38
Hook-on metal basket	WxDxH for slant left		
for diagonal base unit pull-outs	45° 228 x 467 x 74	00 5070	
	52° 228 x 467 x 74 55° 228 x 467 x 74	00 5052 00 5045	
	WxDxH for slant righ		
	45° 228 x 467 x 74	00 5071	The state of the s
	52° 228 x 467 x 74 55° 228 x 467 x 74	00 5053 00 5046	PATITITIES.
	JJ 220 X 40/ X /4	UU 3U40	







New functionality for COMFORT base unit pull-out

Practical and decorative bottle storage in the kitchen

Can be combined with ARENA trays or metal baskets



Bottle-rack

for 30 cm base unit pull-out COMFORT

Art. no. Dimensions (mm)

WxDxH

00 5144 210 x 470 x 108



DISPENSA Junior – flexible storage in a base unit.



Pull-out with concealed **bottom-panel mounting**.

DISPENSA Junior can be adapted flexibly to different uses – with easy height adjustment and a choice of functional trays. Makes optimal use of space.

Base panel mounting makes retrofitting easy.



Choice of tray styles


ARENA Classic



ARENA Style







B =	inside cabinet width:	≥ cabinet width minus 40 mm
T =	inside cabinet depth:	≥ 500 mm
H =	inside cabinet height:	≥ 630 mm



Art. no. Dimensions (mm)

	Cabinet width:	DISPENSA Junior
26 1002	300	with ARENA Style trays
26 1005	400	Complete set consisting of:
26 1008	450	1 fitting
26 1011	500	2 runners
26 1016	600	1 large tray ARENA Style
		3 small trays ARENA Style

Cabinet		
width:	Large tray:	Small tray:
300	250 x 450 x 75	110 x 470 x 75
400	350 x 450 x 75	160 x 470 x 75
450	400 x 450 x 75	185 x 470 x 75
500	450 x 450 x 75	210 x 470 x 75
600	550 x 450 x 75	260 x 470 x 75

Standard with
SOFTSTOPP

Standard with
ARENA plus
anti-slip finish

Fitting colour: brilliant white Tray decor ice white only!



	Cabinet width:	DISPENSA Junior
26 1001	300	with ARENA Classic trays
26 1004	400	Complete set consisting of:
26 1007	450	1 fitting
26 1010	500	2 runners
26 1014	600	1 large tray ARENA Classic
		3 small trays ARENA Classic

Cabinet		
width:	Large tray:	Small tray:
300	250 x 452 x 106	110 x 470 x 88
400	350 x 452 x 106	160 x 470 x 88
450	400 x 452 x 106	185 x 470 x 88
500	450 x 452 x 106	210 x 470 x 88
600	550 x 452 x 106	260 x 470 x 88

Standard with

ARENA DUS

anti-slip finish

Fitting colour: white aluminium Tray decor white only!



WxDxH **00 5224** 220 x 470 x 108

Bottle-rack for DISPENSA Junior



Pull-outs and inside pull-outs – attractive and practical designs.





Spacer strip for mounting behind hinged doors

Lowered fronts for easy access

Integrated self closing

Runner shroud for a streamlined look

On request with:

ARENA plus anti-slip finish

Choice of tray styles

Metal baskets

ARENA Classic







Runner shroud for a streamlined look.

3D adjustment for front pull-outs.



- 6	"
-1	ذ
-	_
-	╮
-	_
-)
- (J
	1
_	-
_	_
	_
-	3
- 5	=
2	7
-	-
0	D
- (υ
-	-
- (_)
	_
- 4	_
C	n
-	_
- 5	
.=	=
•-	_
7	3
0	_
- 0	
7	
0	R
- (℧
0	-
C	2
4.0	ال
	Ξ

Cabinet width	Installation width incl. runners (excl. spacer)	Front pull-out I ARENA	Inside pull-out I ARENA
450 mm	412/418 mm	01 8643	01 8647
500 mm	462/468 mm	01 8644	01 8648
600 mm	562/568 mm	01 8645	01 8649
	Installation width + 25 mm for spacer (Art. no. 00	8756)	
450 mm	387/393 mm		01 8650
500 mm	437/443 mm		01 8651
600 mm	537/543 mm		01 8652




Art. no. Dimensions (mm)

 Front pull-out I ARENA

for full-extension runners Art. no. 00 7093 and 00 7094

On request with ARENA plus anti-slip finish



01 8650 377 x 488 x 125 01 8651 427 x 488 x 125 01 8652 527 x 488 x 125 Inside pull-out I

ARENA

for full-extention runners Art. no. 00 7093 and 00 7094

To use with spacer (Art. no. 00 8756)

On request with ARENA plus anti-slip finish



00 7094 Length: 500

Full-extension runner

for front and inside pull-outs I pull-out 560 H 5000 B with self-closing mechanism and damper max load: 30 kg

Colour code: galvanized (0007)



00 0092

Front bracket

for front and inside pull-outs to be screwed



00 8756 25 mm

Spacer

chromeplated also available in white

Cabinet width	Installation width incl. runners (excl. spacer)	Front pull-out III metal	Front pull-out III metal
400 mm	362/368 mm	00 8642	00 8646
450 mm	412/418 mm	00 8643	00 8647
500 mm	462/468 mm	00 8644	00 8648
600 mm	562/568 mm	00 8645	00 8649
	Installation width + 25 mm for spacer (Art. no. 00 8756)		
450 mm	387/393 mm		00 8650
500 mm	437/443 mm		00 8651
600 mm	537/543 mm		00 8652

	Dimensions (mm)	Art. no.
Front pull-out III	WxDxH	
metal	345 x 503 x 140	00 8642
for full-extension runners	395 x 503 x 140	00 8643
Art. no. 00 7093 and 00 7094	445 x 503 x 140	00 8644
	545 x 503 x 140	00 8645
	545 x 503 x 140	00 8645



Inside pull-out III	WxDxH	
metal	345 x 500 x 127	00 8646
for full-extension runners	395 x 500 x 127	00 8647
Art. no. 00 7093 and 00 7094	445 x 500 x 127	00 8648
	545 x 500 x 127	00 8649
To use with spacer (Art. no. 00 8756)	370 x 500 x 127	00 8650
	420 x 500 x 127	00 8651
	520 x 500 x 127	00 8652

Length: 500

00 7094

00 0092



for front and inside pull-outs III pull-out 560 H 5000 B with self-closing mechanism and damper max load: 30 kg

Colour code: galvanized (0007)



Front panel connector for front and inside pull-outs

Full-extension runner

Colour code: galvanized (0007)

also available in white

srew-on



Spacer 25 mm 00 8756 chromeplated







Inside pull-out V

Cabinet width	Inside width incl. runners	Art. no.
300 mm	232-262 mm	00 7450
400 mm	342-372 mm	00 7451
500 mm	432-462 mm	00 7452
600 mm	522-552 mm	00 7453



Art. no. Dimensions (mm)

	WxDxH
00 7450	226 x 493 x 80
00 7451	330 x 493 x 80
00 7452	428 x 493 x 80
00 7453	530 x 493 x 80

Inside pull-out V incl. roller runners

width-adjustable by clip-system



width: **00 7455** 15 **00 7456** 26

Distance bracket for inside pull-outs V set (= 2 pcs.)

incl. flat-head srew M5 x 7

Colour codes: grey (9006) white (9010)



00 7454

Door protection clip

for inside pull-outs V to hook-on right-or left hand





Inside pull-outs VI

Dimensions (mm)

Art. no.	Height of basket	Cabinet width	Cabinet inside width	Spacer
00 7457	50 mm	400 mm	367 mm	12 mm
00 7460	100 mm	400 mm	367 mm	12 mm
00 7458	50 mm	500 mm	467 mm	12 mm
00 7461	100 mm	500 mm	467 mm	12 mm
00 7459	50 mm	600 mm	567 mm	12 mm
00 7462	100 mm	600 mm	567 mm	12 mm


Ins	ide	pull-outs	VI

incl. roller runners incl. door protection clip

max. load: 15 kg

Available powder coated only!

WxDxH	
345 x 500 x 50	00 7457
445 x 500 x 50	00 7458
545 x 500 x 50	00 7459
345 x 500 x 100	00 7460
445 x 500 x 100	00 7461
545 x 500 x 100	00 7462





TANDEM swivel pull-out



Dimensions (mm) Art. no.

WxDxH 00 9030 530 x 325 x 600 Pull-out shelf with frame for hook-on baskets incl. ball bearing runners, KD design, bottom fixing

max. load: 15 kg

Available epoxy-coated only!



WxDxH 00 9034 505 x 308 x 74

Hook-on basket for pull-out shelf



WxDxH 00 9035 540 x 150 x 605

Door frame with follower

max. load: 5 kg



WxDxH 00 5141 160 x 470 x 75 Hook-on basket metal for door frame



Special fittings





Dimensions (mm) Art. no.



Set for bottle and bread pull-out

for 30 cm COMFORT base unit pull-out

Consisting of:

1 COMFORT full-extension frame, 661 mm

2 front brackets 90°

2 removable bread bag baskets

(210 x 470 x 75 mm)

1 linen bread bag (175 x 240 x 445 mm)

1 bottle rack (210 x 470 x 108 mm)

23 1017 23 1699 for right hand cabinet (installation left) for left hand cabinet (installation right)



00 6255

WxDxH 220 x 391 x 475 Pull-out bottle rack and bread basket

incl. bread bag

concealed attachment to base panel

Attach to 16 mm base panel with self-tapping crosshead srew as per DIN 7981 (4.2 x 25 mm)



00 6258

WxDxH275 x 240 x 445 Bread bag holder

incl. bag



Dimensions (mm) Art. no.

Bottle carrier basket

drops into metal surround

for eight bottles, with 4 floorgliders,

art. no. 006267

WxDxH

195 x 410 x 304

00 1123



Metal surround

concealed attachment to base panel

Attach to 16 mm base panel with self-tapping crosshead screw as per DIN 7981 (4.2 x 25 mm)

WxDxH

240 x 430 x 39 **00 6267**



Metal surround for front pull-outs

attach via front panel connectors

WxDxH

250 x 450 x 135 **00 6268**



Front panel connector

for front panels to be screwed

00 0092

Full-extension runner

max. load: 30 kg

Colour code: galvanized (0007) Length: 495 01 7086




Connectors

for art. no. 01 7086

00 7087







Dimensions (mm) Art. no.

WxDxH 00 6251 75 x 300 x 250 Baking tray rack attach to bottom panel



Width: **00 4060** 225

Bracket

for 4-sided laundry basket



	WxDxH
00 4061	270 x 300 x 320
00 4062	340 x 250 x 400
00 4063	340 x 250 x 450
00 4064	395 x 480 x 420
00 4065	395 x 480 x 520
00 4066	400 x 500 x 450
00 4067	280 x 290 x 500
00 4068	230 x 270 x 430
00 4069	430 x 270 x 430

Laundry basket 4-sided stackable

Available epoxy-coated only!





PORTERO cleaning agent pull-out – with practical carry basket.



Top marks for practicality.

All cleaning agents in one pull-out. The top basket swings aside for better access to lower baskets. Special feature: the integrated 'service station' that can be lifted out and taken along. Choice of three sizes. The plastic base trays are dishwasher safe and can be removed for cleaning.

Top swivel basket for extra storage space

Simply mounted on the bottom panel

provide a firm footing for

Adaptable system carrier




For easy access to the cleaning agents in the lower basket ...





















... its into different spaces ...



... in any position.



Art. no. Dimensions (mm)

WxDxH **00 5151** 160 x 468 x 395 Cleaning agent pull-out PORTERO - Set 1

consisting of: 1 system base

1 portable basket with handle

4 dividers



WxDxH **00 5152** 276 x 468 x 395

Cleaning agent pull-out PORTERO - Set 2

consisting of:

1 system base

1 portable basket with handle

1 portable basket w/o handle

4 dividers



WxDxH **00 5153** 276 x 468 x 510

Cleaning agent pull-out PORTERO - Set 3

consisting of:

1 system base

1 portable basket with handle

1 portable basket w/o handle

1 swivel basket

8 dividers

Lockable cleaning agent pull-out: safety first, especially for children!



Dimensions (mm)

Art. no.

Lockable cleaning agent pull-out

incl. runners installation left or right

 $\mathsf{Wx}\mathsf{Dx}\mathsf{H}$

202 x 432 x 440 **00 5150**



Undersink pull-out I

incl. runners installation left or right

WxDxH

117 x 470 x 400 **00 5125**

min. width incl. runners: 140 mm (daylight)



Undersink pull-out II

incl. runners installation left or right

WxDxH

217 x 470 x 400 **00 5139**

min. width incl. runners: 240 mm (daylight)








Colour codes: palegrey (7035) white (9010)



Hob safety guard – clamps on.







Extra safety easliy attached



Hob safety guard

clamps on, for 60 cm hob

Colour code: bright chrome (0005)

> Dimensions (mm) Art. no.

> > WxDxH

00 8163 678 x 140 x 175



Hob safety guard

clamps on, for 90 cm hob

Colour code: bright chrome (0005)

WxDxH

00 8164 978 x 140 x 175



Storage racks







For installing between units

Under-hob rack with security rail back and front



Under hob pull-out rack

complete incl. runners and stainless steel runner covers

max. load: 20 kg

Art. no. Dimensions (mm)

00 6352 installation width: 600 mm

depth: 530 mm

00 6353 installation width: 900 mm

depth: 530 mm




The rack supports – for 16 and 19 mm panel thickness – also function as transport safety clips.



Storage racks (sold as pack of 2)

Incl. 4 rack supports, 4 spax (Ø 4 x 20 mm) and 4 euro screws (Ø 6.3×19 mm) per rack

Inside cabinet width	Rack width x depth (mm)	Art. no.	Inside cabinet width	Rack width x depth (mm)	Art. no.	Inside cabinet width	Rack width x depth (mm)	Art. no.
418/412	407 x 260	006158	418/412	407 x 445	006165	418/412	407 x 490	006172
468/462	457 x 260	006159	468/462	457 x 445	006166	468/462	457 x 490	006173
568/562	557 x 260	006160	568/562	557 x 445	006167	568/562	557 x 490	006174
768/762	757 x 260	006161	768/762	757 x 445	006168	768/762	757 x 490	006175
868/862	857 x 260	006162	868/862	857 x 445	006169	868/862	857 x 490	006176
968/962	957 x 260	006163	968/962	957 x 445	006170	968/962	957 x 490	006177
1168/1162	1157 x 260	006164	1168/1162	1157 x 445	006171	1168/1162	1157 x 490	006178





Swing-up fittings – useful kitchen aids swing into action.







Space-saving storage for kitchen equipment: Drop out of sight by unlocking two handles

Parallel swivel fitting I

Installation width:

steplessly adjustable from 410-570 mm

Dimensions (mm) Art. no.

with 2 springs

01 5309

max. load: 8 kg usable height: 240

swivel depth: 468 with 4 springs max. load: 8 kg

01 5310

usable height: 240 swivel depth: 468

Installation height:

min. 505



Parallel swivel fitting II

Installation width:

steplessly adjustable from 410-570 mm

with 2 springs max. load: 8 kg

Dimensions (mm)

Art. no.

usable height: 180

01 5307

swivel depth: 440

Installation height:

min. 455



Parallel swivel fitting III

without connection rod for any width

Dimensions (mm) Art. no.

with 2 springs 01 5312

max. load: 8 kg usable height: 310 swivel depth: 468

with 4 springs **01 7573**

max. load: 10 kg usable height: 310 swivel depth: 468

Installation height:

min. 505







Drop out of sight by slightly lifting the base panel

Stops automatically in working position





Swivel fitting for any width max. load: 8 kg

Art. no. Dimensions (mm)

00 5300 usable height: 280

swivel depth: 425

Installation height:


min. 444

LeMans II	Page 3·3	
Swing-out trays for 90-cm and 100-cm corner base units		الله الله
MagicCorner	Page 3·9	
Swing-out trays for 90-cm and 100-cm corner base units and highboards		
180° solutions	Page 3·13	
Individual solutions for 80-cm, 90-cm and 100-cm corner base units		
REVO 90°	Page 3-21	
Individual solutions for 80-cm and 90-cm corner base units		E C
270° solutions	Page 3-29	HI I
Individual solutions for 80-cm and 90-cm corner base units		
REVO 45°	Page 3-33	
Segment tray solution for 90-cm corner base cupboards		
Round and segment tray solutions	Page 3·39	
Individual solutions for 90-cm to 105-cm corner base cupboards		
TWISTER	Page 3-45	
for 60-cm and 65-cm corner wall units		
Pound and cogmont trave	Dama 2 40	
Round and segment trays for 60-cm and 65-cm corner wall units	Page 3-49	
		20





Optimal functionality – for fascinating ease of use.



LeMans II – carrying on a long tradition.

LeMans II is the second generation of a successful product – with new, improved features and innovations. Kesseböhmer's intelligent corner unit system is once again setting standards with new engineering quality and fascinating movement sequences.

Product features

- A door opening angle of just 85° allows the trays to swing out completely
- 25 kg load per tray
- Height-adjustable trays
- With ClickFixx for fast, precise, toolless assembly
- Damped self-closing (option)



The trays move smoothly and almost effortlessly out of the unit ...

... so that users have a clear view of all the contents and optimal access.

LeMans II scores high on efficiency and benefits.



Variants

ARENA Classic




ARENA Style












Example: swings out to the right (left cabinet - 40-cm door)




Example: swings out to the right (left cabinet - 45-cm door)


Door widths					
mm	400	450	500	600	
Α	≥764	≥800	≥910	≥960	
В	≥500	≥500	≥500	≥500	
C :	361-368	411-418	461-468	561-568	
D	16-19	16-19	16-19	16-19	
Е	≥60	≥60	≥60	≥60	
F	≤400	≤450	≤500	≤600	
G	≤65	≤65	≤65	≤65	
Н	500-900	600-900	600-900	600-900	
J	≤25	≤25	≤25	≤25	
Κ	≤70	≤70	≤70	≤70	







Example: swings out to the right (left cabinet – 50-cm door)



Example: swings out to the right (left cabinet – 60-cm door)

07 7925

LeMans corner unit swing-out tray ARENA Style

Sets (= 2 ARENA Style trays and accessories) without axle; payload: 25 kg/tray

Door widths:	
400	07 7918
	07 7919
450	07 7920
	07 7921
500	07 7922
	07 7923
600	07 7924
	400 450 500

Standard with

ARENA plus

Swings out to the left

ARENA Dus
Anti-slip coating



LeMans corner unit swing-out tray ARENA Classic

Sets (= 2 ARENA Classic trays and accessories) without axle; payload: 25 kg/tray

	Door widths:	
Swings out to the right	400	03 7918
Swings out to the left		03 7919
Swings out to the right	450	03 7920
Swings out to the left		03 7921
Swings out to the right	500	03 7922
Swings out to the left		03 7923
Swings out to the right	600	03 7924
Swings out to the left		03 7925

Standard with

ARENADUS



Axle, height-adjustable

with 2 premounted bearing sleeves

- 1 cabinet-side M profile
- 1 top connector
- 1 axle bearing, bottom

for unit inside clearance:



SoftStopp Plus dampers (set of 2)

for fittings swinging out to the right for fittings swinging out to the left

00 7955 00 7956











LeMans trays are a practical and very attractive solution for highboard corner units.









Example: swings out to the right (left cabinet – 40-cm door)




Example: swings out to the right (left cabinet – 45-cm door)




Example: swings out to the right (left cabinet – 50-cm door)



Example: swings out to the right (left cabinet – 60-cm door)





LeMans corner unit swing-out tray **ARENA Style**

Sets (= 2 ARENA Style trays and accessories) without axle; payload: 25 kg/tray

	Door widths:	
Swings out to the right	400	07 7918
Swings out to the left		07 7919
Swings out to the right	450	07 7920
Swings out to the left		07 7921
Swings out to the right	500	07 7922
Swings out to the left		07 7923
Swings out to the right	600	07 7924
Swings out to the left		07 7925



Standard with

ARENADUS Anti-slip coating

LeMans corner unit swing-out tray **ARENA Classic**

Sets (= 2 ARENA Classic trays and accessories) without axle; payload: 25 kg/tray

	Door widths:		
Swings out to the right	400	03 7918	
Swings out to the left		03 7919	
Swings out to the right	450	03 7920	
Swings out to the left		03 7921	
Swings out to the right	500	03 7922	
Swings out to the left		03 7923	
Swings out to the right	600	03 7924	
Swings out to the left		03 7925	



Axle, 1250 mm

with 4 premounted bearing sleeves

2 cabinet-side M profiles

2 bearing brackets

1 locking clip

1 connector clip

1 bottom bearing

for clear inside height

1250 mm



SoftStopp Plus dampers (set of 2)

for fittings swinging out to the right for fittings swinging out to the left

00 7955 00 7956









MagicCorner – a brilliant solution for corner space.





Frame adjustable for 90-cm and 100-cm unit widths

Precisely defined sequence of movements



Choice of tray/basket styles


Metal baskets

ARENA Classic




ARENA Style





Front pull-out moves out towards the end stop ...



... and swivels aside (here installed to swivel right).

Simultaneously a follower mechanism draws the rear pull-out to the front of the cabinet.














		Base unit	Highboard
B = inside width:		860-971 mm	860-968 mm
T = inside depth:		≥ 485 mm	≥ 500 mm
H = inside height:		≥ 525 mm	≥ 1230 mm
Min. door width		≥ 450 mm	≥ 450 mm
Max. payload	front section:	14 kg	24 kg
	corner section:	18 kg	28 kg
P = post depth	T = 485-500 mm	P ≤ 65	
	T = 500-510 mm	P ≤ 80	



Art. no. Dimensions (mm)

04 6203 swivels

to the right

04 6204 swivels to the left

MagicCorner corner unit swivel pull-out

for 90 and 100 cm corner units







02 6209 swivels to the right

02 6210 swivels

to the left

MagicCorner Highboard corner unit swivel pull-out

for 90 and 100 cm corner units







05 6207 2 trays 305 x 470 x 75

2 trays

390 x 470 x 75

Tray set ARENA Style

4 hook-on trays for MagicCorner corner unit swivel pull-out

For Highboards 2 sets are required!



01 6207 2 trays 305 x 470 x 88

2 trays

390 x 470 x 88

Tray set ARENA Classic

4 hook-on trays for MagicCorner corner unit swivel pull-out

For Highboards 2 sets are required!



00 6207

2 baskets 305 x 470 x 85 2 baskets

390 x 470 x 85

Basket set

4 hook-on baskets for MagicCorner corner unit swivel pull-out

For Highboards 2 sets are required!



180° trays mounted on an axle



Organised space on **three levels**.

The semicircular wire trays give the fitting a professional look.

It's easy to check the contents of the lower trays from above.



180° trays as carousel inside a hinged door

The benefit: even with three levels, contents are easy to reach

180° trays and metal baskets make good use of space



Choice of tray styles

Metal baskets



ARENA Classic



ARENA Style





90 cm and 100 cm corner base unit



Art. no. Dimensions (mm)

180° tray ARENA Style

fits on axle

WxDxH

05 6787 750 x 420 x 90 **05 6788** 850 x 470 x 90 for cabinet width 90 for cabinet width 100

On request with ARENA plus anti-slip finish



180° tray ARENA Classic

fits on axle

00 6787 750 x 420 x 90 **00 6788** 850 x 470 x 90

WxDxH

for cabinet width 90 for cabinet width 100

On request with ARENAPIUS anti-slip finish



Accessories only for ARENA Classic

(page 3·28):

Lid rack Art. 006945 Dividers Art. 00 6947

Art. 00 6947 für Ø 750 Art. 00 6947 für Ø 850

00 6771

length: 542 Axle

with upper support for 180° ARENA trays



00 6772

Axle connection fitting (left)

set for top and bottom

00 6778 for a distance

of 5 mm

Distance brackets (right)

for axle connection



00 6794

suitable with post depth 65 mm

Follower for 180° ARENA tray

clips between bottom tray and door panel

Colour code: nickel-plated 0006




00 6795

Door deflector for 180° ARENA tray

clips on, for shelves without the installation of the follower

Colour code: grey 7040

90 cm and 100 cm corner base unit



Dimensions (mm) Art. no.

180° metal basket

fits on axle

for 90 cm cabinet for 100 cm cabinet

Ø 750 **00 6420** Ø 850 **00 6421**



Axle

with upper support for 180° ARENA trays

length: 542 00 6771



Axle connection fitting (left)

set for top and bottom

00 6772

Distance brackets (right)

for axle connection for a distance of 5 mm

00 6778

00 6429




Follower for 180° tray

Colour codes: grey 9006

white 9010





180° trays mounted on a post

Choice of tray styles


ARENA Classic



ARENA Style



90 cm and 100 cm corner base unit



Dimensions (mm) Art. no.

180° tray ARENA Style

fits on post

for cabinet width 90 for cabinet width 100

 $\mathsf{Wx}\mathsf{Dx}\mathsf{H}$



On request with ARENADUS

180° tray ARENA Classic

fits on post


WxDxH

for cabinet width 90 for cabinet width 100

On request with

ARENA plus
anti-slip finish

00 6794



Accessories only for ARENA Classic (page 3-28):

Lid rack Art. 006945

Dividers Art. 00 6947 für Ø 750 Art. 00 6947 für Ø 850

Hinge 00 6799

incl. plastic bush left or right installation

Colour code: nickel-plated 0006



Follower for 180° ARENA tray

clips between bottom tray and door panel



Door deflector for 180° ARENA tray

clips on

for trays without follower

Colour code: grey 7040





REVO 90° – user-friendly corner unit solution where front panels turn with the carousel.





Innovative mechanics in a classical solution.

Mechanically this system is engineered to ensure a totally controlled movement sequence – the doors fold gently away, the carousel rotates smoothly, the doors close automatically. With rotational damping and REVOfit, it's a pleasure to watch. With REVOfit, the closing speed can be adjusted quickly and toollessly. Steplessly adjustable trays let users make good use of the storage space. Adding a third tray and/or a pan tray – even as a retrofit – lets users create even more storage area.



Toolless axle height adjustment

For use in 80 and 90 cm cabinet widths

Height of ARENA trays and baskets can be changed at any time


> Easy upgrade by adding a 3rd tray - even after the fitting has been installed





On request with:

ARENA plus anti-slip finish



With REVOfit, the closing speed can be adjusted quickly and toollessly

Choice of tray/basket styles

Metal baskets




ARENA Classic



ARENA Style







Pan tray: A partial intermediate level makes space for pans and tall items in a REVO 90°.






Clip-on front panel connector mounted on frame.

Fast, reliable, toolless assembly. The clip-on connection saves time and guarantees perfect functioning. Because it's always correctly positioned!









Art. no. Dimensions (mm)

00 6956 Inside cabinet

height: 660-840

REVO 90° fitting

complete

for 80 and 90 cm corner unit incl. 4 front panel connectors, 1 cam disc and 1 shelf support



Top panel bracket

incl. fittings

WxDxH

00 6958 741 x 741 x 25 **00 6959** 841 x 841 x 25 for 80 cm cabinet for 90 cm cabinet



WxDxH **00 6943** 560 x 4

560 x 468 x 37,5

Top panel bracket for fixed back panel

Œ

	Dimensions (mm)	Art. no.	
for 80 cm corner unit for 90 cm corner unit On request with ARENA DUS anti-slip finish	Ø 710 Ø 810	05 6762 05 6763	
for 80 cm corner unit for 90 cm corner unit On request with ARENA DUS anti-slip finish	Ø 710 Ø 810	00 6762 00 6763	
Pan tray for 90 cm corner unit On request with ARENA PUS anti-slip finish		00 6801	
270° metal basket for 80 cm corner unit for 90 cm corner unit	Ø 700 Ø 800	00 6746 00 6747	
REVO 90° tray and basket support		00 6944	
Lid rack for 270° ARENA tray Art. no. 00 6762 and 00 6763	WxDxH 450 x 150 x 40	00 6945	
Divider for 270° ARENA tray 80er (Art. no. 00 6762) 90er (Art. no. 00 6763)	WxDxH 320 x 320 x 150 370 x 370 x 150	00 6946 00 6947	







Accessories for ARENA Classic

A range of accessories boosts the utility and ease-of-use of ARENA fittings. For example, choosing a lid rack, or dividers, helps to optimise use of space and makes for tidy storage and fast access. Giving users extra choice is part of the image of a high-end product.



270° carousel – axle-mounted.





 $270\,^{\circ}$ trays as corner carousel inside a hinged door

Choice of tray styles


Metal baskets

ARENA Classic




ARENA Style





800 mm corner base unit




900 mm corner base unit

	Dimensions	(mm) <i>F</i>	۱rt.	no.
--	------------	-----	------------	------	-----

270° tray ARENA Style

Ø 700 05 6764 for 80 cm corner base unit for 90 cm corner base unit Ø 820 05 6765





270° tray ARENA Classic

for 80 cm corner base unit Ø 700 00 6764 for 90 cm corner base unit Ø 820 00 6765

On request with ARENA plus

anti-slip finish

Accessories only for ARENA Classic (page 3:38):

Lid rack Art. 00 6945

Dividers Art. 00 6946 für Ø 700 Art. 00 6947 für Ø 820



for ARENA tray and metal baskets 630-680 00 6424 685-735 00 6430 height adjustable

height:

Axle tube with snap-on adapter

Height adjustable 00 6784 from 839-889 (right photo)


complete with top and bottom connectors

Custom lengths as required!









80 cm and 90 cm base corner unit with 270° metal basket



Dimensions (mm) Art. no.

00 6710 Ø 700 00 6711 Ø 820

270° basket can rotate independently



00 6718

WxDxH 390 x 390 x 65

Divider for 270° basket Ø 820 mm (Art. no. 00 6711)



height: Axle (left photo) 630-680

00 6424 00 6430

685-735

for ARENA tray and metal baskets height adjustable

00 6784 Height adjustable

from 839-889

Axle tube with snap-on adapter

(right photo)

complete with top and bottom connectors

Custom lengths as required!



height: 00 6139 477

Axle

for metal baskets

with side arms for bottom mounting

for all cabinet heights



REVO 45° – corner unit solution with 45° front panel angle.





The **45° solution** without a centre axle.

Access to the height-adjustable trays is not obstructed by a centre axle; the whole area can be used for storage.

Height-adjustable axle



Tray height can be changed at any time

Easy upgrade by adding a 3rd tray – even after the fitting has been installed.

Standard with:




On request with:

ARENAPUS

anti-slip finish



Clip-on front panel connector mounted on frame



Choice of tray styles


ARENA Classic




ARENA Style










REVO 45° to use with custom or REVO 45° front panel



Art. no. Dimensions (mm)

00 6948 Inside cabinet height: 660-860

REVO 45° fitting complete for 90 cm corner unit incl. 4 front panel connectors, 1 cam disc and 1 shelf support



WxDxH **00 6959** 841 x 841 x 25

Top panel bracket incl. fittings for 90 cm cabinet



WxDxH **00 6943** 560 x 468 x 37,5

Top panel bracket for fixed back panel




REVO 45° tray ARENA Classic

for 90 cm corner base unit

On request with ARENA plus anti-slip finish

Ø 810

00 6837



REVO 45° tray support

00 6949



Lid rack

only for REVO 45° tray ARENA Classic (Art. no. 00 6837)

WxDxH

450 x 150 x 40

00 6945



Divider

only for REVO 45° tray ARENA Classic (Art. no. 00 6837)

WxDxH

370 x 370 x 150

00 6947



Front REVO 45°

for cabinet gap from 450-458 mm width

Colour code: stainless steel finish 9930 for inside height: 702

00 6950









Accessories for ARENA Classic

A range of accessories boosts the utility and ease-of-use of ARENA fittings. For example, choosing a lid rack, or dividers, helps to optimise use of space and makes for tidy storage and fast access. Giving users extra choice is part of the image of a high-end product.




Round and segment tray solutions






ARENA segment trays as carousel for diagonal-fronted corner units



90 cm wall corner unit with round tray



90 cm wall corner unit with segment tray

Round tray ARENA Style for 90 cm wall corner unit On request with ARENADUS Round tray ARENA Classic for 90 cm wall corner unit for 90 cm wall corner unit for 105 cm wall corner unit



Dimensions (mm)

Ø 700

Art. no.

05 6777





Segment	tray	ARENA Style
for 90 cm	wall	corner unit

Ø 820 05 6769



On request with ARENA plus

Segment tray ARENA Classic

Ø 820 00 6769

for 90 cm wall corner unit

Accessories only for ARENA Classic (page 3.38): Lid rack Art. 00 6945 Dividers

Art. 00 6946 für Ø 700 Art. 00 6947 für Ø 750 Art. 00 6947 für Ø 820





Axie (lett photo)	neignt:
for ARENA tray and metal baskets	630-680
	(05.705

00 6424 00 6430 height adjustable 685-735



Custom lengths as required!








Round all-metal trays in corner base units

90 cm base corner unit with round metal basket



Dimensions (mm) Art. no.

Round basket

can rotate independently

Ø 750 00 6714



Axle (left photo) height: for ARENA tray and metal baskets 630-680 00 6424 00 6430 height adjustable 685-735

Axle tube with snap-on adapter (right photo)

complete with top and bottom connectors

Custom lengths as required!

Height adjustable 00 6784

from 839-889



Axle for metal baskets

with side arms for bottom mounting for all cabinet heights

height:

477 00 6139





TWISTER – making better use of wall corner units.



Height-adjustable angled tube

Stepless tray height adjustment

Larger storage area with edge-mounted axle

On request with:

ARENA plus

anti-slip finish


Choice of tray styles

ARENA Classic




ARENA Style





600/650 mm wall corner unit with round tray



600/650 mm wall corner unit with segment tray

	Dimensions (mm)	Art. no.	1
Axle TWISTER for round tray Ø 450 mm for segment tray, Ø 500 mm	for inside height from 528-638 from 659-769 from 812-922 for inside height	00 6853 00 6855 00 6857	
	from 528-638 from 659-769 from 812-922	00 6854 00 6856 00 6858	3
TWISTER bearing for axle bracket with round tray, Ø 450 mm		00 6861	
for axle with segment tray, Ø 500 mm		00 6862	
Round shelf TWISTER ARENA Style for 60 and 65 cm wall corner unit Load capacity: 8 kg On request with ARENADUS anti-slip finish	Ø 450	05 6850	
Round shelf TWISTER ARENA Classic for 60 and 65 cm wall corner unit Load capacity: 8 kg On request with ARENA DUS anti-slip finish	Ø 450	00 6850	
Segment shelf TWISTER ARENA Style for 60 and 65 cm wall corner unit Load capacity: 8 kg On request with ARENA DUS anti-slip finish	Ø 500	05 6852	
Segment shelf TWISTER ARENA Classic	Ø 500	00 6852	

Load capacity: 8 kg

for 60 and 65 cm wall corner unit



Round and segment trays





A carousel provides useful storage in the corner

Items are stored securely as ARENA trays turn

On request with:

ARENA plus

anti-slip finish


Choice of tray styles

ARENA Classic




ARENA Style





60 and 65 cm wall corner unit with round tray



60 and 65 cm wall corner unit with segment tray

	Dimensions (mm)	Art. no.	
Round tray ARENA Style for 60 and 65 cm wall corner unit On request with ARENA DUS anti-slip finish	Ø 450	05 6776	
Round tray ARENA Classic for 60 and 65 cm wall corner unit On request with ARENA DUS anti-slip finish	Ø 450 Ø 480	00 6776 00 6767	
Segment tray ARENA Classic for 60 and 65 cm wall corner unit On request with ARENA DUS anti-slip finish	Ø 500	00 6768	
Axle (left photo) for ARENA tray and metal baskets height adjustable	height: 630-680 685-735	00 6424 00 6430	
Axle tube with snap-on adapter (right photo) complete with top and bottom connectors Custom lengths as required!	Height adjustable from 839-889	00 6784	


Duo, Duo Forte	Page 4·3	TAI
Classic solution for lift-up flaps.		- 4
Maxi Quickly installed – for a gentle lift.	Page 4·9	A A
Maxi up Lifts and lowers chest lids with a defined, gentle movement.	Page 4-17	
Senso, E-Senso A smooth lift in low-ceilinged rooms.	Page 4-21	
Verso, E-Verso Lifters to suit contemporary kitchen architecture.	Page 4-27	
Strato, E-Strato Vertical lift with safety stop.	Page 4-33	
FREEflap Ultra-compact and ultra-convenient.	Page 4-39	V
EWIVA lift-up fitting Soft and silent lift up for appliance flaps.	Page 4-43	
HSB lift-up fitting Precise, elegant movements for practical results.	Page 4-47	
CLIMBER	Page 4-51	




Duo/Duo Forte











Lift force diagrams for



Lift force diagrams for Duo Forte



Art. no.

Duo flap support

for small to medium-sized doors; install right or left

Opening angle: 75°, 90° and 110°



Duo Forte flap support

for small to medium-sized doors; install right or left

Opening angle: 75°, 90° and 110°



Mounting bracket

for 37-mm hole spacing



27 0114

27 0107

Mounting bracket

for 28-mm hole spacing



Mounting bracket for wooden doors

and doors with wide frames



Mounting bracket

for 20-mm aluminium frame doors




27 0119










Duo Touch Opening

(requires cup hinge with push-to-open function!)

	1 sup	port	2 sup	ports	
	Max.	Max. Opening		Opening	
	front weight	gap	front weight	gap	
	kg	mm	kg	mm	
200	10.2	40	10.2	35	
250	8.8	40	10.1	35	
300	7.9	50	9.9	40	
350	7.5	45	9.8	40	
400	5.6	45	9.2	40	
450	5.6	65	8.4	45	
500	5.5	85	6.5	50	

75° opening angle




200	6.6	30	9.6	30
250	6.5	32	9.3	30
300	6.5	40	7.5	40
350	6.4	45	7.1	50
400	5.6	50	6.9	50
450	5.2	70	6.9	65
500	4.5	75	6.7	65

90° opening angle						
10	75- 32					
124	90°					
28 37 37 37 37 37 37 37 37 37 37 37 37 37	V /					

200	7.6	55	9.6	40
250	6.8	70	9.0	45
300	5.5	95	9.0	50
350	4.8	100	7.3	70
400	4.2	110	7.2	75
450	3.4	120	6.2	80
500	3.0	130	5.1	80

110° opening angle



B


	Art. no.	
Duo flap support for small to medium-sized doors; install right or left Opening angle: 75°, 90° and 110°	27 1690	
Mounting bracket for 37-mm hole spacing	27 0111	
Mounting bracket for 28-mm hole spacing	27 0114	
Mounting bracket for wooden doors and doors with wide frames	27 0107	
Mounting bracket for 20-mm aluminium frame doors	27 0119	
Magnetic catch	27 1520	
Magnetic catch with base plate	27 1521	
Counterplate for magnet knock in	27 1522	and a

B



Maxi





Maxi lift fittings

	Model A grey	Model B beige	Model C white	Model D black
Cabinet height (mm)	Art. no. 27 1703	Art. no. 27 1704	Art. no. 27 1705	Art. no. 27 1706
300	3.8-7.1	6.7-13.7	11.9-21.0	15.4-27.3
400	2.8-5.3	5.0-10.3	8.9-15.8	11.6-20.5
500	2.3-4.3	4.1-8.3	7.2-12.5	9.4-16.2
600	1.9-3.5	3.3-7.0	5.9-10.6	7.6-13.7
700	1.6-3.0	2.8-5.7	5.0-8.8	6.5-11.4
800	1.4-2.7	2.5-5.1	4.4-7.9	5.7-10.4
900	1.3-2.4	2.2-4.6	4.0-7.0	5.2-9.1
1000	1.1-2.1	2.0-4.1	3.6-6.3	4.6-8.2

75° opening angle



For cabinet widths greater than 600 mm, use 2 Maxi fittings

300	3.8-7.1	6.7-13.7	11.9-21.0	15.4-27.3
400	2.8-5.3	5.0-10.3	8.9-15.8	11.6-20.5
500	2.3-4.3	4.1-8.3	7.2-12.5	9.4-16.2
600	1.9-3.5	3.3-7.0	5.9-10.6	7.6-13.7
700	1.6-3.0	2.8-5.7	5.0-8.8	6.5-11.4
800	1.4-2.7	2.5-5.1	4.4-7.9	5.7-10.4
900	1.3-2.4	2.2-4.6	4.0-7.0	5.2-9.1
1000	1.1-2.1	2.0-4.1	3.6-6.3	4.6-8.2

90° opening angle



Door weights (kg) given are for one Maxi fitting

For cabinet widths greater than 600 mm, use 2 Maxi fittings						
300	2.4-4.0	3.9-7.5	6.8-11.6	9.2-15.0		
400	1.8-3.0	2.9-5.6	5.1-8.7	6.9-11.2		
500	1.4-2.4	2.4-4.5	4.0-7.1	5.7-9.0		
600	1.2-2.0	1.9-3.8	3.3-5.9	4.5-7.6		
700	1.0-1.7	1.7-3.1	2.9-4.8	3.8-6.2		
800	0.9-1.4	1.4-2.8	2.6-4.3	3.4-5.6		
900	0.8-1.3	1.3-2.5	2.3-3.8	3.0-5.0		
1000	0.7-1.2	1.1-2.2	2.0-3.5	2.7-4.5		

110° opening angle





Door weights (kg) given are for one Maxi fitting

For cabinet widths greater than 600 mm, use 2 Maxi fittings

Art. no. Maxi lift fitting 27 1703 see table on for medium to very heavy lids the left 27 1704 install right or left 27 1705 27 1706 Opening angle: 75°, 90° and 110° Mounting bracket for 37-mm hole spacing 27 0618 for 28-mm hole spacing 27 0622 cabinet connector Mounting bracket for wooden doors and doors with wide frames for euro screws 27 0628 for pan head screws 27 0626 Mounting bracket for wooden doors and doors with wide frames with sliding clip for euro screws 27 0630 for Spax screws Ø 4 mm 27 0633 Mounting bracket 27 0624 for 20-mm aluminium frame doors 27 0635 Mounting bracket for 20-mm aluminium frame doors with sliding clip Maxi damper die-cast zinc, nickel-plated 27 0666 plastic, grey 27 0671 27 1099 Hex (Allen) key 10 mm







Maxi Touch opening

	Model A grey	Model B beige	Model C white	Model D black
Cabinet	Art. no.	Art. no.	Art. no.	Art. no.
height (mm)	27 1703	27 1704	27 1705	27 1706
300	2.0-3.8	4.0-7.7	7.0-14.0	
400	1.6-3.1	3.0-6.3	5.0-11.5	7.0-12.5
500	1.3-2.5	2.7-5.2	4.7-8.4	5.5-10.5
600		2.4-4.5	4.3-7.8	4.7-8.4
700		2.2-4.0	4.0-7.5	4.3-8.0
800			3.6-6.2	3.9-7.3
900			3.4-5.8	3.5-6.7
_	ts (kg) given are for widths greater than	_	ki fittings	
300	2.0-3.5	3.3-6.7	6.0-10.3	7.8-13.6
400	1.5-2.6	2.5-5.0	5.5-7.8	5.8-10.2
500	1.2-2.1	2.0-4.0	3.6-6.3	4.7-8.2
600	1.0-1.8	1.7-3.3	3.0-5.2	3.9-6.8
700	0.9-1.4	1.4-2.7	2.5-4.3	3.2-5.7
800	0.7-1.3	1.2-2.6	2.2-3.9	2.9-5.1
900	0.7-1.2	1.1-2.2	2.0-3.4	2.6-4.5
1000	0.6-1.0	1.0-2.0	1.8-3.1	2.4-4.1
_	ts (kg) given are for widths greater than	_	ki fittings	
300	1.2-2.9	2.6-5.5	4.6-9.5	
400	0.9-2.2	2.0-4.4	3.8-7.0	4.6-8.7
500	0.7-1.8	1.7-3.4	3.1-5.8	3.7-6.5
600		1.4-3.0	2.6-4.7	3.1-5.8
700			2.3-4.1	2.8-4.5
800			2.0-3.8	2.4-4.1

75° opening angle



90° opening angle



110° opening angle



2.1-3.9

1.8-3.7

Door weights (kg) given are for one Maxi fitting

For cabinet widths greater than 600 mm, use 2 Maxi fittings

900


1000

B

Maxi lift fitting for medium to very heavy lids install right or left Opening angle: 75°, 90° and 110°	see table on the left	Art. no. 27 1703 27 1704 27 1705 27 1706	
Mounting bracket for 37-mm hole spacing for 28-mm hole spacing		27 0618 27 0622	
Mounting bracket for wooden doors and doors with wide frames for euro screws for pan head screws		27 0628 27 0626	
Mounting bracket for wooden doors and doors with wide frames with sliding clip for euro screws for Spax screws Ø 4 mm		27 0630 27 0633	
Mounting bracket for 20-mm aluminium frame doors		27 0624	
Mounting bracket for 20-mm aluminium frame doors with sliding clip		27 0635	
Magnetic catch		27 1520	
Magnetic catch with base plate		27 1521	
Counterplate for magnet knock in		27 1522	
Hex (Allen) key 10 mm		27 1099	








Maxi lift fittings

	Model A grey	Model B beige	Model C white	Model D black
Cabinet	Art. no.	Art. no.	Art. no.	Art. no.
height (mm)	27 1703	27 1704	27 1705	27 1706
300	3.8-7.1	6.7-13.7	11.9-21.0	15.4-27.3
400	2.8-5.3	5.0-10.3	8.9-15.8	11.6-20.5
500	2.3-4.3	4.1-8.3	7.2-12.5	9.4-16.2
600	1.9-3.5	3.3-7.0	5.9-10.6	7.6-13.7
700	1.6-3.0	2.8-5.7	5.0-8.8	6.5-11.4
800	1.4-2.7	2.5-5.1	4.4-7.9	5.7-10.4
900	1.3-2.4	2.2-4.6	4.0-7.0	5.2-9.1
1000	1.1-2.1	2.0-4.1	3.6-6.3	4.6-8.2
_	ts (kg) given are for widths greater thar	one Maxi fitting n 600 mm, use 2 Max	i fittings	
300	3.8-7.1	6.7-13.7	11.9-21.0	15.4-27.3
400	2.8-5.3	5.0-10.3	8.9-15.8	11.6-20.5
500	2.3-4.3	4.1-8.3	7.2-12.5	9.4-16.2
600	1.9-3.5	3.3-7.0	5.9-10.6	7.6-13.7
700	1.6-3.0	2.8-5.7	5.0-8.8	6.5-11.4
800	1.4-2.7	2.5-5.1	4.4-7.9	5.7-10.4
900	1.3-2.4	2.2-4.6	4.0-7.0	5.2-9.1
1000	1.1-2.1	2.0-4.1	3.6-6.3	4.6-8.2
_	ts (kg) given are for widths greater than	one Maxi fitting n 600 mm, use 2 Max	i fittings	
300	2.4-4.0	3.9-7.5	6.8-11.6	9.2-15.0
400	1.8-3.0	2.9-5.6	5.1-8.7	6.9-11.2
500	1.4-2.4	2.4-4.5	4.0-7.1	5.7-9.0
600	1.2-2.0	1.9-3.8	3.3-5.9	4.5-7.6
700	1.0-1.7	1.7-3.1	2.9-4.8	3.8-6.2
800	0.9-1.4	1.4-2.8	2.6-4.3	3.4-5.6
900	0.8-1.3	1.3-2.5	2.3-3.8	3.0-5.0


Door weights (kg) given are for one Maxi fitting

For cabinet widths greater than 600 mm, use 2 Maxi fittings


75° opening angle



90° opening angle



110° opening angle




B

Maxi lift fitting for medium to very heavy lids install right or left Opening angle: 75°, 90° and 110°	see table on the left	Art. no. 27 0542 27 0546 27 0550 27 0554	
Mounting bracket for 37-mm hole spacing for 28-mm hole spacing		27 0618 27 0622	
Mounting bracket for wooden doors and doors with wide frames for euro screws for pan head screws		27 0628 27 0626	
Mounting bracket for wooden doors and doors with wide frames with sliding clip for euro screws for Spax screws Ø 4 mm		27 0630 27 0633	
Mounting bracket for 20-mm aluminium frame doors		27 0624	
Mounting bracket for 20-mm aluminium frame doors with sliding clip		27 0635	
Magnetic catch		27 1520	
Magnetic catch with base plate		27 1521	
Counterplate for magnet knock in		27 1522	
Hex (Allen) key 10 mm		27 1099	




Maxi up



Maxi up

Cabinet height (mm)	Model	Lid weight 1 Maxi up (kg)	Lid weight 2 Maxi up (kg)	Colour	Art. no.
400	F	1.6-3.1	3.2-6.2	blue	on request
	G	3-5.3	6.0-10.6	brown	on request
	Н	5.2-9.4	10.4-18.8	black	27 1717
500	F	1.3-2.6	2.6-5.2	blue	on request
	G	2.5-4.2	5-8.4	brown	on request
	Н	4.3-7.5	8.6-15	black	27 1717
600	F	1.1-2.5	2.2-5	blue	on request
	G	2.3-4.2	4.6-8.4	brown	on request
	Н	4-6.7	8-13.4	black	27 1717

Lid weights (kg) given are for one Maxi up fitting For widths greater than 600 mm, use 2 Maxi up fittings



Maxi up lift fitting

One fitting can support a lid weighing between 1 kg and 9 kg and a length up to 400 mm and hold it in any position; easy to install; install right or left



see table on the left



Mounting bracket for 37-mm hole spacing

27 0111



Mounting bracket

for 28-mm hole spacing

27 0622



Mounting bracket

for wooden lids and lids with wide frames

27 0107



Hex (Allen) key

10 mm


27 1099





Senso/E-Senso





Senso

Cabinet height (mm)	Door weight (kg)	Art. no.
550 (540-580)	3-6.5	27 1607
	6-12	27 1610
	9-18	27 1612
	12-24.5	27 1613
600 (580-640)	3-6	27 1615
	6-11	27 1617
	9-17	27 1619
	12-23	27 1621
650 (640-700)	3-5	27 1622
	5.5-10	27 1623
	8-16	27 1625
	10.5-21.5	27 1627
720 (700-780)	3.5-5.5	27 1628
	5-9	27 1629
	7-15	27 1634
	9-20	27 1638
800 (780-840)	5-9	27 1640
. ,	7-13	27 1641
	9-17	27 1642
865 (840-900)	5-12	27 1643
	7.5-16	27 1645

- 2 Senso mechanisms + covers
- 2 base plates
- 2 flap bearings for wooden fronts
- 4 screws M5 x 16

Senso lift fitting

made of steel and plastic with die-cast zinc base plate and plastic flap bearings



see table on the left



Flap bearing with oblong hole

for 20 mm aluminium frame profile

27 1080



Adapter

for 20 mm aluminium frame profile

nickel plated 27 1092 pearl chrome plated 27 1452



Middle hinge

with guide pin euro screw pan head screw


without guide pin euro screw pan head screw 27 1558 27 1559





E-Senso

Cabinet height (mm)	Door weight (kg)	Art. no.
555 (540-580)	2.5-6.5	27 1648
	6-11	27 1649
	9.5-18	on request
	13-22	on request
600 (580-640)	2.5-6	on request
	5.5-10	27 1650
	7.5-17	on request
	12-21	27 1651
650 (640-700)	3-5.5	on request
	5.5-9	on request
	7-14.5	27 1652
	10.5-18.5	27 1653
720 (700-780)	3-5	on request
	4.5-8	27 1654
	7-14	27 1655
	9-16.5	27 1656
800 (780-840)	4.5-8	on request
	7-11	27 1657
	9-14	27 1658
865 (840-900)	5-10	27 1659
	7-12	27 1660



- 2 E-mechanisms + covers
- 2 base plates
- 2 flap bearings for wooden fronts/ wide aluminium frame doors
- 4 screws M5 x 16
- cable clip
- cable terminal
- 1 control unit

- 1 remote button + battery
- connecting cable
- hex (Allen) key, 4 mm
- assembly and operating instructions
- power supply cable (euro connector)



E-Senso lift fitting

made of aluminium, plastic and other materials, with die-cast zinc base plate, plastic flap bearings and remote button, inclusive see table on the left



Art. no.



E-Senso control unit

with power supply cable D and connecting cables



Flap bearing

for 20 mm aluminium frame profile

27 1080



Adapter

for 20 mm aluminium frame profile

nickel plated 27 1092 pearl chrome plated 27 1452



Middle hinge

with guide pin euro screw pan head screw

an nead sorew

without guide pin euro screw pan head screw



Cable

GB 27 1147
DK on request
CH on request
IT on request

27 1558


27 1559






Verso/E-Verso







Verso

Cabinet height (mm)	Door weight (kg)	Art. no.
420-550	2-4	27 1582
	4-8	27 1583
	6-10	27 1584
	8-17	27 1585
550-650	2-3.5	27 1582
	3.5-7	27 1583
	6-10	27 1584
	9-16	27 1585
650-800	3-6.5	27 1583
	5-10	27 1584
	9-15	27 1585

- 2 Verso mechanisms + covers
- 2 base plates
- 2 mounting brackets
- 2 adapter plates (left + right)
- 4 screws M5 x 16
- 2 cam followers (left + right)
- 2 setting elements (left + right)

Verso lift fitting

made of steel and plastic with die-cast zinc mounting brackets and steel and die-cast zinc base plates, adapter plate made of die-cast zinc and plastic



see table on the left



Adapter

for 20 mm aluminium frame nickel-plated

27 1687



Connecting rod

aluminium side panel thickness 16/19


for cabinet width:	600 mm	27 1110
	900 mm	27 1115
	1200 mm	27 1121
	1500 mm	27 1127
	1800 mm	27 1128





E-Verso

Cabinet height (mm)	Door weight (kg)	Art. no.
420	2-5	27 1586
	4-9	27 1587
	6-12	27 1588
	10-18	27 1589
500	2-4.5	27 1586
	4-8	27 1587
	6-14	27 1588
	8-16	27 1589
600	2-4.5	27 1586
	4-8	27 1587
	6-11	27 1588
	8-15	27 1589
700	3.5-6.5	27 1587
	6-10	27 1588
	8.5-14	27 1589
800	3-5.5	27 1587
	5-9.5	27 1588
	8-12	27 1589



- 2 E-mechanisms + covers
- 2 base plates
- 2 mounting brackets
- 2 adapter plates (left + right)
- 4 screws M5 x 16
- 2 cam followers (left + right)
- 2 setting elements (left + right)
- 1 control unit
- 1 remote button + battery

- connecting cable
- hex (Allen) key, 4 mm
- assembly and operating instructions
- cable clip
- cable terminal
- power supply cable (euro connector)



E-Verso lift fitting

made of steel and plastic
with die-cast zinc mounting brackets and
steel and die-cast zinc base plate,
adapter plate made of die-cast zinc and
plastic, remote button inclusive



E-Verso control unit

with power supply cable D and connecting cables



Adapter

for 20 mm aluminium frame nickel-plated

27 1687



Connecting rod

aluminium side panel thickness 16/19

for cabinet width:	600 mm	27 1110
	900 mm	27 1115
	1200 mm	27 1121
	1500 mm	27 1127
	1800 mm	27 1128



Cable


GB 27 1147
DK on request
CH on request
IT on request





Strato/E-Strato





Strato

otiato		
Cabinet height (mm)	Door weight (kg)	Art. no.
342 (342-420)	1.5-4	27 1560
	4-7.2	27 1561
	6.5-11.5	27 1562
420 (420-500)	2-3.5	27 1563
	3.5-7	27 1564
	6.5-11	27 1565
	8-16	27 1566
500 (500-550)	3.8-10	27 1567
	6-15	27 1568
600 (550-650)	3.5-10	27 1569
	6-14.5	27 1570

- 2 Strato mechanisms + covers
- 2 base plates
- 2 mounting brackets
- 2 adapter plates (left + right)
- 4 screws M5 x 16
- 2 cam followers (left + right)
- 2 setting elements (left + right)

Strato lift fitting

made of steel and plastic
with die-cast zinc mounting brackets and
steel and die-cast zinc base plate, adapter
plate made of die-cast zinc and plastic



see table on the left



Adapter

for 20 mm aluminium frame nickel-plated





Connecting rod

aluminium side panel thickness 16/19

for cabinet width:	600 mm	27 1110
	900 mm	27 1115
	1200 mm	27 1121
	1500 mm	27 1127
	1800 mm	27 1128








Strato

Cabinet height (mm)	Door weight (kg)	Art. no.
342-420	1.5-4	27 1571
	3.5-7	27 1572
	6-10.5	27 1573
420-500	2-3.5	27 1574
	3-7	27 1575
	6-10.5	27 1576
	8-14	27 1577
500-550	3.8-9	27 1578
	7-12	27 1579
550-650	4.5-10	27 1580
	6-11	27 1581





- 2 E-mechanisms + covers
- 2 base plates
- 2 mounting brackets
- 2 adapter plates (left + right)
- 4 screws M5 x 16
- 2 cam followers (left + right)
- 2 setting elements (left + right)
- 1 control unit

- 1 remote button + battery
- connecting cables
- hex (Allen) key, 4 mm
- assembly and operating instructions
- cable clip
- cable terminal
- power supply cable (euro connector)



E-Strato lift fitting

made of aluminium, plastic and other materials, with mounting brackets made of die-cast zinc and steel, die-cast zinc mounting plate, adapter plate made of die-cast zinc and plastic, remote button inclusive



E-Strato control unit

with power supply cable D and connecting cables



see table on the left





Adapter

for 20 mm aluminium frame nickel-plated

27 1687



Connecting rod

aluminium

Cable

side panel thickness 16/19

for cabinet width:	600 mm	27 1110
	900 mm	27 1115
	1200 mm	27 1121
	1500 mm	27 1127
	1800 mm	27 1128

GB 27 1147
DK on request
CH on request
IT on request










FREEflap mini / FREEflap forte




interzum award: intelligent material & design 2013



FREEflap mini



View from right (left fitting)




Left fitting with dress cap




View from front


FREEflap forte



View from right (left fitting)




Left fitting with dress cap




View from front

Connecting the front flap - FREEflap mini and FREEflap forte



Connecting wooden fronts and wide aluminium frame fronts



Connecting 20 mm aluminium frames

FREEflap mini

Art. no.	FREEflap mini - A 27 1661	FREEflap mini - B 27 1662	FREEflap mini - C 27 1663
Cabinet height mm	Front weight* kg	Front weight* kg	Front weight* kg
≥200	1.7-4.6	3.7-7.9	6.8-14.7
≥225	1.5-4.1	3.1-7.1	6.0-13.1
≥250	1.3-3.8	2.9-6.4	5.4-11.8
≥275	1.2-3.3	2.5-5.7	4.8-10.6
≥300	1.1-3.1	2.4-5.1	4.4-9.6
≥325	1.0-2.8	2.1-4.6	4.0-8.8
≥350	0.9-2.6	2.0-4.2	3.7-8.1
≥375	0.9-2.3	1.9-3.8	3.5-7.5
≥400	0.8-2.1	1.7-3.6	3.2-7.0
≥425	0.7-1.9	1.5-3.4	2.9-6.5
≥450	0.6-1.7	1.4-3.2	2.7-6.1

^{*}Front weight incl. weight of handle



One set consists of:

- 2 FREEflap mini fittings (right and left)
- 2 dress caps for the fittings (right and left)
- 2 front flap connector plates

Total opening angle: 107°

Colours: 7035 (grey) 9966 (white)

FREEflap forte

	FREEflap forte - D	FREEflap forte - E	FREEflap forte - F	FREEflap forte - G
Art. no.	27 1664	27 1665	27 1666	27 1667
Cabinet height mm	Front weight* kg	Front weight* kg	Front weight* kg	Front weight* kg
≥350	5.2 - 11.0	6.7 - 14.3	10.1 - 21.4	13.5 - 27.3
≤375	4.9 - 10.2	6.3 - 13.1	9.4 - 19.8	12.5 - 25.2
≤400	4.7 - 9.6	5.9 - 12.4	8.9 - 18.6	11.8 - 23.3
≤425	4.4 - 9.0	5.6 - 11.6	8.3 - 17.4	11.0 - 21.8
≤450	4.1 - 8.4	5.2 - 10.9	7.8 - 16.3	10.4 - 20.5
≤475	3.9 - 8.0	4.9 - 10.3	7.4 - 15.4	9.8 - 19.3
≤500	3.7 - 7.5	4.7 - 9.7	7.0 - 14.6	9.2 - 18.3
≤525	3.5 - 7.1	4.4 - 9.2	6.6 - 13.9	8.8 - 17.3
≤550	3.3 - 6.8	4.2 - 8.8	6.3 - 13.2	8.3 - 16.5
≤575	3.2 - 6.5	4.0 - 8.4	6.0 - 12.5	8.0 - 15.6
≤600	3.0 - 6.2	3.8 - 8.0	5.7 - 12.0	7.6 - 15.0
≤625	2.8 - 5.9	3.6 - 7.6	5.4 - 11.5	7.2 - 14.4
≤650	2.6 - 5.6	3.4 - 7.3	5.3 - 11.0	6.9 - 14.0
*Front weight	incl. weight of h	andle		

Adapter

for 20 mm aluminium frame nickel-plated



One set consists of:

- 2 FREEflap forte fittings (right and left)
- 2 dress caps for the fittings (right and left)
- 2 front flap connector plates

Total opening angle: 107°

 $90\,^\circ$ opening angle limiter, integrated in the fitting

Colours:

7035 (grey)

9966 (white)



Art. no. 27 1688

27 1687

Opening angle limiter 90°

for FREEflap mini









EWIVA



Front position



Space for fitting



Impressive

engineering design.



The EWIVA lift-up fitting is ideal for flaps that drop down to conceal a microwave or a steamer, installed at eye level in a full-height or wall-mounted unit. When the appliance is in use, the front flap is lifted up vertically – softly and silently. Fitted with SoftStopp Plus damping, front panel movement is gently braked in the final stages of opening and closing. The front panel is attached with snap-on connectors.







1 | The fitting is installed ...

 $2 \mid \dots$ the front panel is held in position \dots

3 | and the connector snapped shut.

It's so easy!

With ClickFixx the front panel is simply clipped onto the fitting without tools.







EWIVA fitting

As standard with



5.3 - 8.0 kg 3.3 - 6.6 kg 2.5 - 4.8 kg 8 8.5

Hole positions (fitting without guide pin)

001559 001560 001561

EWIVA 60-cm complete set

without guide pin;

includes power pack and synchronising rod Note: front weight including handle

PU
1 set
1 set
1 set

Ewiva packaged as set

without guide pin;

Power pack must be ordered separately

228 mm
196 mm
164 mm 132 mm
100 mm
EEIII
NEE!
20 00 00 00 00 00 00 00 00 00 00 00 00 0
\ \\
\ \6 \
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ra I

001556	Fixed width 600 Width
001557	900
001558	1200
001565	1500
001562	
001563	
001564	

001545

001540 001552

1) Fitting	PU
Fixed width	1 set
can be cut to length	1 set
can be cut to length	1 set
can be cut to length	1 set
2) Power pack	
for max. front weight (incl. ha	andle)
2.5 - 4.8 kg	1 unit
3.3 - 6.6 kg	1 unit
5.3 - 8.0 kg	1 unit

EWIVA front brackets for aluminium frame fronts

(packed in polybag)


PU 16 brackets

EWIVA fitting with guide pin

Note: front weight including handle

	PU
1) Side elements	16 units
2) Covers	16 units
3) Power packs	
for max. front weight (incl.	. handle):
2.5 - 4.8 kg	16 units
3.3 - 6.6 kg	16 units
5.3 - 8.0 kg	16 units
4) Front brackets	
for wooden fronts	16 units
for aluminium frames	16 units
5) Synchronising rod	
	16 units
	16 units
	16 units






001541	
001542	
001543	
001544	
001545	
	Fixed width
001549	600
001550	900
001551	1200



HSB lift-up fitting







Art. no. Dimensions (mm)


	for cabinets		
00 1348	up to 90 cm wide		
00 1349	up to 120 cm wide		
00 1352	up to 150 cm wide		

Door lift fitting I adaptable width

adapt to individual cabinet width by cutting the aluminium connecting rod to length, includes compression springs – selected to match front weight (see table), concealed front attachment, lift height: 370 mm

Door lift fitting I – adaptable width

Art. no.	Inside cabinet width = B	Number of springs à	Max. front weight
00 1348	max. 870 mm	2 250 N	5.0 kg
00 1349	max. 1170 mm	2 320 N	7.0 kg
00 1352	max. 1470 mm	2 380 N	8.5 kg






00	1345	for cabinets	
		45-60 cm wide	

00 1346 for cabinets 60-90 cm wide


00 1347 for cabinets 90-120 cm wide


Door lift fitting II adaptable width

concealed front attachment incl. compression springs – selected to suit different front weights (see table), lift height: 370 mm



m	Art. no.	Inside cabinet width = B	Number of springs	of à	Max. front weight	
		00 1345	411-570 mm	2	200 N	4.0 kg
		00 1346 5	561-870 mm	2	250 N	5.0 kg
		00 1347	861-1170 mm	2	320 N	7.0 kg





Door lift fitting III	for cabinets	
fixed width	60 cm wide	00 1341
with connecting rod welded in place		00 1343
concealed front attachment incl.		00 1340
compression springs – selected to suit		00 1342
different front weights (see table),	90 cm wide	00 1350
lift height: 370 mm	120 cm wide	00 1351

Dimensions (mm)


Art. no.



Path of front inside edge

Door lift fitting III – fixed width

Side panel	Inside cabinet width = B	Number of springs à	Max. front weight	Art. No.
19 mm	561	1 380 N	3.5 kg	00 1341
19 mm	561	2 200 N	4.0 kg	00 1343
16 mm	567	1 380 N	3.5 kg	00 1340
16 mm	567	2 200 N	4.0 kg	00 1342
16 mm	867	2 250 N	5.0 kg	00 1350
16 mm	1167	2 320 N	7.0 kg	00 1351




Adapter for 19-mm aluminium profiles

with 11 mm side overlay for Door Lift fittings I, II and III





CLIMBER



The CLIMBER is a wall unit with an electrically operated, glass slat front.

A light touch underneath the cabinet is enough to start the shimmering front splitting into slats that glide upwards in sequence to form a block at the top.

The cabinet can be supplied in three heights and two widths, in white or a stainless steel finish. The glass slats come in a choice of four colours.



	Depth 373	CLIMBER cabinet, white Fully assembled (w/o glass slats incl. drive and glass shelves
	Height	for cabinet width: 600 mm
00 1600 0354	650	1 glass shelf
00 1601 0354	780	2 glass shelves
00 1602 0354	910	2 glass shelves
		for cabinet width: 900 mm
00 1608 0354	650	1 glass shelf
00 1609 0354	780	2 glass shelves
00 1610 0354	910	2 glass shelves



		Fully assembled (w/o glass slats)
		incl. drive and glass shelves
	Height	for cabinet width: 600 mm
00 1600 0355	650	1 glass shelf
00 1601 0355	780	2 glass shelves
00 1602 0355	910	2 glass shelves
		for cabinet width: 900 mm
00 1608 0355	650	1 glass shelf
00 1609 0355	780	2 glass shelves
00 1610 0355	910	2 glass shelves

CLIMBER cabinet, stainless steel finish

B

	Dimensions (mr	m) Art. no.	
	Diffictions (fill	n) Art. no.	
CLIMBER glass slats, weiß			
for cabinet width: 600 mm	Height		
	650	00 1603 0130	
	780 910	01 1603 0130 02 1603 0130	
for cabinet width: 900 mm	650 780	00 1611 0130 01 1611 0130	
	910	02 1611 0130	
CLIMBER glass slats, magnolia			
for cabinet width: 600 mm	Height		
	650	00 1603 0131	
	780	01 1603 0131	
	910	02 1603 0131	
for cabinet width: 900 mm	650	00 1611 0131	
	780	01 1611 0131	
	910	02 1611 0131	
CLIMBER glass slats, translucent black			
for cabinet width: 600 mm	Height		
	650	00 1603 0132	
	780	01 1603 0132	
	910	02 1603 0132	
for cabinet width: 900 mm	650	00 1611 0132	1500
	780	01 1611 0132	
	910	02 1611 0132	
CLIMBER glass slats, satinato			
for cabinet width: 600 mm	Height		
tor cabinet width. 600 mm	650	00 1603 0133	
	780	01 1603 0133	- Address of the Control of the Cont
	910	02 1603 0133	
for cabinet width: 900 mm	650	00 1611 0133	
for capinet width: 900 mm	780	01 1611 0133	
	910	02 1611 0133	
Adapter			
GB/UK		00 1612 9005	
AU		00 1613 9005	-
no.		00 1010 7000	

TANDEM swivel pull-out
For 30-cm wall units

Racks and railings
For 45-cm, 60-cm
and 90-cm hood cabinets

Spice rack
For wall units

Page 5-3

Page 5-7

Page 5-7

Page 5-11




TANDEM swivel pull-out – organising wall unit contents for a clear overview and good access.








As the hinged door opens, the clipon follower fitting draws the rear section forward for easy access.



TANDEM for 30-cm wall unit

	2-tier	3-tier
B = inside cabinet width:	≥ 262 mm	≥ 262 mm
T = inside cabinet width:	≥ 280 mm	≥ 280 mm
H = inside cabinet width:	≥ 500 mm	≥ 700 mm
P = support panel for pull-out shelf, up to 16 mm thick (not included).		



Dimensions (mm) Art. no.

Door shelf with textured-surface metal trays

can also be used alone

incl. wooden-frame adapter

3-tier


2-tier

WxDxH 210 x 92 x 360

WxDxH

210 x 92 x 570

00 1270



Pull-out shelf (back)

with textured-surface metal trays can also be used alone

2-tier WxDxH

255 x 156 x 360

3-tier WxDxH

255 x 156 x 570

00 1261

00 1271



Follower

for pull-out shelf

01 1272





Racks and railings – making effective use of space in hood cabinets.







The racks are simply clipped onto premounted connectors.



Rack for hood cabinets


incl. studs, for cabinet side panels 16 mm and 19 mm thick


Available epoxy-coated only!

Art. no. Dimensions (mm)

	WxDxH	for cabinet
00 1377	410 x 70 x 40	450 mm
00 1378	560 x 70 x 40	600 mm
00 1270	960 v 70 v 40	000 mm







Edge railings

for shelves or racks

drilling: Ø 5, depth: 10






Spice rack -

practical and space saving.



Functional elements to screw onto doors or cabinets




Coffee filter holder

Art. no. Dimensions (mm)


WxDxH

00 1280 165 x 60 x 62



Spice rack for standard doors

Art. no.	00 1300	00 1310
jars	4 x 3	4 x 6
Cabinet width:	300 mm	450 mm
X = hole spacing:	191 mm	364 mm
T = depth:	66 mm	66 mm
Y = hole spacing:	417 mm	417 mm



Spice rack for frame doors

Art. no.	00 1301	00 1320	00 1321	00 1331	
jars	4 x 3	4 x 6	4 x 6	3 x 8	
Cabinet width:	300 mm	450 mm	500 mm	600 mm	
X = hole spacing:	235 mm	380 mm	426 mm	521 mm	
T = depth:	66 mm	66 mm	66 mm	66 mm	
H = height:	395 mm	395 mm	395 mm	274 mm	
Y = hole spacing:	224 mm	224 mm	224 mm	128 mm	

Spice rack for 4 x 3 jars

for standard door for frame door

Dimensions (mm) Art. no.

WxDxH 202 x 66 x 425

00 1300 244 x 66 x 395 00 1301



Spice rack

for 4 x 6 jars

for standard door for frame door for frame door

WxDxH

375 x 66 x 425 00 1310 391 x 66 x 395 00 1320 436 x 66 x 395 00 1321



Spice rack

for 3 x 8 jars

for frame door

WxDxH

530 x 66 x 274 00 1331



ergoAGENT mono	Page 6-3	
Monopost stand/sit table, steplessly height adjustable		
ergoAGENT twin Dual-post table, steplessly height adjustable	Page 6-7	
ergoAGENT base For height-adjustable kitchen islands	Page 6-11	
TopFlex Pull-out table top Pull out lengths: 61 and 81 cm	Page 6-7	
Worktop extension Extra working surface as required Stand/sit table	Page 6-11	





ergoAGENT -

more convenience and flair in the kitchen.

ergoAGENT mono -

a small table and a lot more freedom.

The height-adjustable ergoAGENT mono lifts and lowers the tabletop, ready for all sorts of different uses. It can be a compact dining table, a variable-height workplace, a stand-up table or even a children's play space.

Attach to a kitchen unit or a wall

Maximum load 40 kg



ergoAGENT® mono









ergoAGENT mono fitting

Maximum load: 40 kg (incl. tabletop)
Tabletop dimensions: ≤1200 x 800 mm


Telescopic connecting bar: 575-875 mm


Dimensions (mm)


Height steplessly adjustable from 655-1115 mm (excluding tabletop thickness) Art. no.

00 7706










ergoAGENT® +win






ergoAGENT twin fitting

Maximum load: 80 kg (incl. tabletop)
Tabletop dimensions: ≤1800 x 800 mm

Art. no. Dimensions (mm)

00 7707 Height steplessly adjustable from 655-1155 mm (excluding tabletop thickness)










B



ergoAGENT® base





Art. no. Dimensions (mm)

00 7714 800 x 700 x 220

2 Lift modules ergoAGENT base

incl. fixings

incl. fixings

Lifting force: 500 kg/lift module

incl. 1 integrated switch and control box

with connecting cable

3 Lift modules ergoAGENT base 00 7716 800 x 700 x 220

Lifting force: 500 kg/lift module

incl. 1 integrated switch and control box with connecting cable

Frame ergoAGENT base


incl. fixings

00 7715 600 x 300 x 60











TopFlex – extra working space on call.



When not in use, the extendable table sections are concealed behind a drawer front.

As TopFlex is pulled out, the drawer front drops down automatically.

The table sections slide effortlessly into place. Partially extended, TopFlex is already a usable surface.

Fully extended, the two sections plus the drop-down front and the flush-mounted runner create a streamlined table surface.

Table in waiting:

A TopFlex extension fitting can support different table widths.

It can be integrated into any base unit between 45 cm and 90 cm.





TopFlex is available with a drop-down front (see above) or a fixed front.

Worktop extension fitting TopFlex

drop-down front, cantilevered, complete, without worktop for worktops 15-19 mm thick

Load capacity: max. 30 kg

Dimensions (mm) Art. no.

cabinet width: 450-900

extended length:

610

min. cabinet

depth: 400

extended length:

810

min. cabinet depth: 500

00 5123

00 5121

23 1325

Worktop extension fitting TopFlex

fixed front, cantilevered, complete, without worktop

for worktops 15-19 mm thick

Load capacity: max. 30 kg

cabinet width: 450-900

extended length:

810

min. cabinet depth: 500








Worktop extension -

add extra working surface in seconds.







pull-out swing-up arrest







release



Dimensions (mm) Art. no.

00 5124 inside width:

Worktop extension 562/568


without table-top

dimensions for table top:

inside depth: 555 x 460

thickness of table top: 15-19 mm min. 500

inside height: load capacity: 20 kg min. 125 extension: 585 mm



Attractive and hardworking kitchen gear hanging on the wall is decorative and ready to hand.

LINERO rail system A bonus for any kitchen, combining stylish design with practicality.

Hob safety guard

LINERO MosaiQ

For hob widths 60 and 90 cm.



Page 7-A1

Page 7-3

Page 7-13

Page 7-23





Wide user choice, striking contemporary design: LINERO MosaiQ

The name sums it up – mix and match the new midway/splash-back elements like mosaic stones along the streamlined rail. The basic element for this splashback system is an aluminium rail attached to the wall. The storage elements are simply attached above or below the rail – wherever you want them. LINERO MosaiQ elements can naturally also be hung into the successful LINERO 2000 system.






LINERO MosaiQ -

versatile, infinitely variable, eye-catching design















Graphite black with oak shelf insert



Titanium grey with oak shelf insert



Titanium grey with smoked glass shelf insert



Graphite black with smoked glass shelf insert

LINERO MosaiQ – practical and stunningly attractive!

The colours – graphite black and titanium grey – of the matt, tactile paint were chosen in cooperation with a design institute. Shelf inserts are available in wood or glass.

Dimensions (mm) Art. no.

Aluminium rail set LINERO MosaiQ

1 aluminium rail

2 end caps 1 connector Connectors to screw onto wall

Colour number:

Stainless steel finish 9845 **BxDxH**

600 x 32,9 x 41,5 00 8900 900 x 32,9 x 41,5 00 8901 1200 x 32,9 x 41,5 00 8902

00 8903

1500 x 32,9 x 41,5




Universal shelf 140 LINERO MosaiQ

Colour number: Titanium grey 9843 Graphite black 9844 BxDxH

350 x 110 x 140 00 8912

Storage area:

350 x 107



Universal shelf 200

LINERO MosaiQ

Colour number:

Titanium grey 9843 Graphite black

BxDxH

350 x 110 x 200 00 8913

Storage area: 350 x 107



Universal shelf 300 LINERO MosaiQ

Colour number:

Titanium grey 9843 Graphite black 9844

BxDxH

350 x 110 x 300 00 8914

Storage area: 350 x 107



Universal shelf 200 with rail

LINERO MosaiQ

Colour number:

Titanium grey 9843 Graphite black 9844 BxDxH

350 x 110 x 200 00 8918

Storage area: 350 x 107



Universal shelf 300 with rail LINERO MosaiQ

Colour number:

Titanium grey 9843 Graphite black 9844 BxDxH

350 x 110 x 300

00 8919

Storage area: 350 x 107





Art. no.

Dimensions (mm)

00 8927

BxDxH 350 x 110 x 300

Storage area:

LINERO MosaiQ Magnetic blackboard

Memo board 300

350 x 107

(glass surface with shelf, holds magnets,

wipe-clean)

Colour number: Titanium grey

9843 Graphite black 9844



00 8908

BxDxH 350 x 155 x 120

Paper roll holder LINERO MosaiQ

for kitchen paper rolls up to 295 mm wide

9843 Titanium grey Graphite black 9844



00 8909

BxDxH 350 x 110 x 300 **ROLLINERO** foil roll holder

LINERO MosaiQ

for clingfilm and foil rolls up to 330 mm wide

Colour number: Titanium grey 9843 Graphite black 9844



00 8905

BxDxH 350 x 45 x 200

Magnetic knife block LINERO MosaiQ

Finish: Oak

Colour number: Titanium grey 9843 Graphite black 9844



00 8906

BxDxH 350 x 45 x 200 Magnetic knife block

LINERO MosaiQ

Finish: Plastic, black/grey

Colour number: Titanium grey 9843 Graphite black 9844



00 8910

BxDxH 135 x 135 x 156 Container/herb pot LINERO MosaiQ

incl. removable dividers

Material: ABS, UV-resistant, food safe

and dishwasher safe

Colour number: 9003



00 8911

BxDxH 116 x 115 x 56 Shallow dish LINERO MosaiQ

Material: ABS, UV-resistant, food safe

and dishwasher safe

Colour number: 9003

	Dimensions (mm)	Art. no.	
Top-mounted towel rail LINERO MosaiQ insert from above Colour number: Titanium grey 9843 Graphite black 9844	BxDxH 350 x 77 x 10	00 8920	
Towel rail LINERO MosaiQ insert from below Colour number: Titanium grey 9843 Graphite black 9844	BxDxH 350 x 77 x 46	00 8921	
Double hook LINERO MosaiQ Colour number: Titanium grey 9843 Graphite black 9844	BxDxH 85 x 44 x 38	00 8922	
Hook strip LINERO MosaiQ Colour number: Titanium grey 9843 Graphite black 9844	BxDxH 250 x 44 x 38	00 8923	
Top-mounted shelf 235 LINERO MosaiQ insert from above Colour number: Titanium grey 9843 Graphite black 9844	BxDxH 235 x 107 x 8	00 8924	
Top-mounted shelf 350 LINERO MosaiQ insert from above Colour number: Titanium grey 9843 Graphite black 9844	BxDxH 350 x 107 x 8	00 8925	
Top-mounted shelf 585 LINERO MosaiQ insert from above Colour number: Titanium grey 9843 Graphite black 9844	BxDxH 585 x 107 x 8	00 8926	
Shelf insert, oak LINERO MosaiQ Available in a choice of widths to fit shelf elements Colour number: 0358	BxDxH 235 x 106,5 x 4 350 x 106,5 x 4 585 x 106,5 x 4	00 8928 00 8929 00 8930	
Shelf insert, smoked glass LINERO MosaiQ Available in a choice of widths to fit shelf elements Colour number: 0000	BxDxH 235 x 106,5 x 4 350 x 106,5 x 4 585 x 106,5 x 4	00 8931 00 8932 00 8933	







LED lights cast a glow over LINERO MosaiQ elements!

With integrated LED light sticks, the multifunctional rail casts a neutral white, indirect light over the MosaiQ elements.

With this splashback system in your kitchen or bathroom, you can store stuff exactly where you want it. You can have a pot of basil, a sugar shaker (or aftershave and a toothbrush) exactly where you need them and where they look good too.

There's a place for your tablet, or your smartphone, or anything else you want to keep handy.

Dimensions (mm) Art. no.

LED stick
LINERO MosaiQ

Colour temperature: 4000 Kelvin

(neutral white) incl. diffuser

 1.68 Watt
 290 x 11 x 10
 00 8935

 2.24 Watt
 383 x 11 x 10
 00 8936

 3.36 Watt
 568 x 11 x 10
 00 8937

Easy installation: sticks can be seamlessly joined to create any length of lighting system



LED power supply LINERO MosaiQ

max. 20 Watt

primary: 100-240 Volt, 50/60 Hz

secondary: 24 Volt

incl. 3000 mm mains cable and

1800 mm LED connecting cable

without switch

(20 Watt is adequate for a LED strip with a maximum length of 3450 mm)

BxDxH

BxDxH

280 x 20.5 x 15.5

EU plug 00 8939 GB/UK plug 00 8942 US/JP plug 00 8944

AUS plug **00 8945**



LED connector
LINERO MosaiQ

(stick to stick)
Optional component to connect two LED sticks flexibly, eg, around a corner

Colour number: 9003

Length

2000 mm **00 8941**



Switch

LINERO MosaiQ 66 Ø 00 8943

for 20 Watt LED power supply, 230 V/2,5 A

one side:

flat 2-pin Europlug on 2000 mm cable

one side:

flat Euro connector on 2000 mm cable

Colour number: 9003





More ideas **per centimetre**.

A typical Kesseböhmer product in its emphasis on form and function, manufacturing quality and fine design. This versatile system lets users personalise their choice of elements and add to them as required. One highlight is the 3-level roll holder.


A patented device lets users tear off cling film smoothly. This is just one example of a wealth of practical, patented inventions.





LINERO 2000 -

Fine design, always in vogue.
































Mounting rail keeps a low profile against the wall

Huge choice of elements

Elegant, streamlined design

Safety designed in eg, knife holder with safety guard



Screw the plastic profile to the wall \dots

slide on the cover ...



clip on the end caps ...



hang the functional elements in place.

Suspension rail set				
LINERO 2000				
consisting of:				
1 function rail				
2 end caps				
1 connector				
screws and dowels				

Colour codes: aluminium look and bi-colour 0038 0025 Dimensions (mm) Art. no.

Length: 01 8090 600 900 01 8112 01 8091 1200 1500 01 8113



Hook rail

LINERO 2000

Colour codes: 0018 aluminium look stainless steel look 0019 bi-colour 0005 Length:

87 00 8121 380 00 8101



Towel rail LINERO 2000

Colour codes: aluminium look 0018 stainless steel look bi-colour 0005 Length:

571 00 8099





Use both hands to pull out the length of film you want.



The pulling action automatically lifts the tear-off edge.



Tear off the film diagonally – the tear-off edge drops back automatically into its start position.



Art. no. Dimensions (mm)

WxDxH 352 x 150 x 305

Roll holder ROLLINERO 2000

3-tier, with automatic cutter for aluminum foil and cling film.

Colour codes:

aluminium look 0018 stainless steel look 0019 bi-colour 0005

Patented and DGBM (utility model) registered

Paper towel holder LINERO 2000

for household paper towel rolls

Colour codes:

aluminium look 0018 stainless steel look 0019 0005 bi-colour

WxDxH

00 8102 352 x 150 x 260



Multi-purpose rack LINERO 2000

Colour codes: aluminium look 0018 stainless steel look 0019 0005 bi-colour

WxDxH

440 x 150 x 271 00 8103



Spice rack LINERO 2000

2-tier

Colour codes: aluminium look 0018 stainless steel look 0019 bi-colour 0005 WxDxH

380 x 80 x 271 00 8096

for bottles and tins with a diameter up to 59 and a height of approx. 110



Lid holder **LINERO 2000**

Colour codes: 0018 aluminium look stainless steel look 0019 bi-colour

WxDxH

115 x 80 x 256 00 8115





WxDxH 00 8109 195 x 80 x 286 Coffee filter holder **LINERO 2000**

Colour codes: 0018 aluminium look stainless steel look 0019 bi-colour 0005



WxDxH 00 8116

380 x 190 x 255

Plate and chopping board rack LINERO 2000

for 12 plates with a diameter up to 250 mm and a max. height of 23 mm


Colour codes: aluminium look 0018 stainless steel look 0019 0005 bi-colour



WxDxH 380 x 190 x 272 00 8097

Wine bottle rack **LINERO 2000**

Colour codes: aluminium look 0018 stainless steel look 0019 0005 bi-colour



00 8118

WxDxH 380 x 80 x 370 Knife holder **LINERO 2000**

with wood insert solid beech

Colour codes: aluminium look 0018 stainless steel look 0019 bi-colour 0005

Cookery-book holder LINERO 2000

folds flat

Colour codes: aluminium look stainless steel look 0019 0005 bi-colour

WxDxH

00 8111 440 x 74 x 321



Holder for breakfast dishes LINERO 2000

incl. stainless steel quiver

Colour codes:

0018 aluminium look stainless steel look 0019 bi-colour

WxDxH

440 x 150 x 370

00 8095



Quiver holder LINERO 2000

incl. 3 stainless steel quivers

Colour codes:

aluminium look 0018 stainless steel look 0019 bi-colour 0005 WxDxH

380 x 150 x 370 00 8094



Holder for writing utensils LINERO 2000

with pad and 2 ballpoint pens

Colour codes:

0018 aluminium look stainless steel look 0019 0005 bi-colour

WxDxH

145 x 150 x 271 00 8105





Always in easy reach:

Mixer holder for the successful LINERO 2000 midway system



Art. no. Dimensions (mm)

WxDxH

00 8120 295 x 150 x 271

Mixer holder LINERO 2000

Colour codes:
aluminium look 0018
stainless steel look 0019
bi-colour 0005



WxDxH **00 8098** 505 x 150 x 271

Holder for dishwashing stuff LINERO 2000

Colour codes:
aluminium look 0018
stainless steel look 0019
bi-colour 0005



WxDxH **00 8114** 147 x 150 x 336

Quiver holder LINERO 2000

with stainless steel quiver

Colour codes:
aluminium look 0018
stainless steel look 0019
bi-colour 0005




Elegant design plus **practicality**.


This classic rail system, a bonus for any kitchen, combines style with practicality. The functional elements are simply hung onto the rail. It's easy to move them just where you want them.







LINERO – for alcoves and walls.
























A huge range of functional elements to hang onto the rail.

Attractive brackets span the gap between the rail and the wall.

The rail can be cut to any length. Cut ends are closed with end caps.

Set LINERO - 600 mm

consisting of:

1 rail, length 600 mm (art. no. 00 8036)

2 wall brackets (art. no. 00 8032)

2 end caps (art. no. 00 8030)

5 S hooks (art. no. 00 8054)

01 8036

02 8036

Colour code:

0005 bright chrome matt chrome 0018

stainless steel look 0025 0110 antique brass



Set LINERO - 1200 mm

consisting of:

2 rails, length 600 mm (art. no. 00 8036)

3 wall brackets (art. no. 00 8032)

2 end caps (art. no. 00 8030)

5 S hooks (art. no. 00 8054)

1 connectors (art. no. 00 8029)

Colour code: bright chrome

matt chrome 0018

stainless steel look 0025 antique brass 0110



Wall bracket LINERO

Colour code: bright chrome matt chrome

bright gold

0005 0018

stainless steel look 0033 Ø 16 00 8032

Wall distance: 50



Rail LINERO

Colour code:

bright chrome 0005 matt chrome 0018 stainless steel look 0025 bright gold 0011

Length: 600

Ø 16

Length: 1200

Ø 16

00 8036

00 8038



Rail angle 90° LINERO

Colour code:

bright chrome 0005 matt chrome 0018 0033 stainless steel look bright gold 0011

90 x 90 Ø 16

00 8034



Rail angle 135° LINERO

Colour code:

bright chrome 0005 matt chrome 0018 stainless steel look 0033 bright gold 0011

Ø 16

00 8058



End cap LINERO

Colour code:

bright chrome 0005 matt chrome 0018 stainless steel look 0033 bright gold 0011

Ø 16

Ø 16

00 8030

00 8029



Connector LINERO

for rail

Colour code: 0008







Use both hands to pull out the length of film you want.



The pulling action automatically lifts the tear-off edge.



Tear off the film diagonally – the tear-off edge drops back automatically into its start position.

Roll holder LINERO

3-tier

with automatically cutter for aluminium foil and cling film

Colour code:

bright chrome 0005 matt chrome 0018 stainless steel look 0019 bright gold 0011 Dimensions (mm) Art. no.

 $\mathsf{Wx}\mathsf{Dx}\mathsf{H}$

325 x 155 x 390 **00 8069**







Art. no.

Dimensions (mm)

00 8053

325 x 152 x 180

WxDxH

Colour code:
bright chrome 0005
matt chrome 0018
stainless steel look 0019
bright gold 0011

Paper roll holder LINERO



WxDxH **00 8065** 145 x 15

145 x 150 x 360

Quiver holder LINERO

large,

with stainless steel quiver

Colour code:

bright chrome 0005 matt chrome 0018 stainless steel look 0019 bright gold 0011



00 8050

WxDxH 125 x 135 x 260 **Quiver holder LINERO**

small,

with plastic quiver

Colour code:

bright chrome 0005 matt chrome 0018 stainless steel look 0019 bright gold 0011



00 8066

WxDxH 165 x 85 x 275 Coffee filter holder LINERO

Colour code:

bright chrome 0005 matt chrome 0018 stainless steel look 0019 bright gold 0011



00 8052

WxDxH 320 x 340 x 275 Corner rack LINERO

Colour code:

bright chrome 0005
matt chrome 0018
stainless steel look 0019
bright gold 0011



00 8044

WxDxH 450 x 50 x 360 Cookery-book shelf LINERO

folds flat

Colour code:
bright chrome 0005
matt chrome 0018
stainless steel look 0019
bright gold 0011

RO WxDxH

455 x 185 x 270 **00 8045** 455 x 185 x 150 **00 8046**

Multi-purpose rack LINERO

Colour code:
bright chrome 0005
matt chrome 0018
stainless steel look 0019
bright gold 0011



Mixer holder LINERO

Colour code:
bright chrome 0005
matt chrome 0018
stainless steel look 0019
bright gold 0011

WxDxH

280 x 145 x 270 **00 8047**



Saucepan lid rack LINERO

Colour code:
bright chrome 0005
matt chrome 0018
stainless steel look 0019
bright gold 0011

WxDxH

93 x 80 x 275 **00 8051**



Pot stand LINERO

to hang onto the rail Ø 16 mm

Colour code:

bright chrome 0005 matt chrome 0018

WxDxH

200 x 300 x 35 **00 8068**






Hob safety guard – Clamps on.







Extra safety – easliy attached



Hob safety guard

clamps on for 60 cm hob

Colour code:

bright chrome 0005

Art. no. Dimensions (mm)

WxDxH

00 8163 678 x 140 x 175



Hob safety guard


clamps on for 90 cm hob

Colour code:

bright chrome 0005

WxDxH

00 8164 978 x 140 x 175





TableLine – contemporary bar consoles.



Art. no. Dimensions (mm)

00 9103

00 9105

00 9104

00 9106

Ø 50

height: 203

Bar console

vertical

fixed with screws fixed with adhesive

Colour code:

0005 bright chrome 0018 matt chrome stainless steel look 0019



Ø 50

height: 203


Bar console slanted

fixed with screws fixed with adhesive

Colour code:


0005 bright chrome 0018 matt chrome stainless steel look 0019

Max. load capacity: 15 kg/console Max. distance from console to console: 600 mm





SkyLine – canopy supports.



SkyLine post

length: 00 9026 500 00 9027 1000

1000

max. load capacity: 10 kg/post

Ø 16 mm (left)

00 9020 500 00 9021 750

Colour code: bright chrome

Ø 25 mm (right)

0005 matt chrome 0018 stainless steel look 0019



00 9028 Ø 16 mm 00 9025 Ø 25 mm Mounting set

for ceiling mounting

with height adjustment: 10 mm

Colour code: 0005 bright chrome matt chrome 0018 stainless steel look 0019



00 9029 Ø 16 mm 00 9024 Ø 25 mm Mounting set


for additional shelves up to 35 mm thickness

Colour code: bright chrome matt chrome 0005 0018 stainless steel look 0019



WxDxH 00 9033 930 x 300 x 380 Canopy rack

Colour code: bright chrome matt chrome 0005 0018 gold-plated 0011





HighLine – versatile functional post system.







Through the worktop



Fixed to a wall

00 9089



Dimensions (mm) Art. no.

3020

Axle Ø 50 mm Length incl. incl. bottom bearing with covering ring accessories:

00 9040 1208 with closed top cover cap

00 9041 with drilled top cover cop 1825 00 9042 2625

> Colour code: bright chrome 0005 matt chrome





WxDxH 00 9059 310 x 185 x 27 Support for worktop

incl. cover ring max. load capacity: 40 kg

Colour code: bright chrome 0005 matt chrome 0018



Between a worktop and a sloping ceiling



Between a worktop and a canopy



Fixed to a cabinet

Bracket for wall fixing, large

0005

WxDxH

320 x 455 x 24

Dimensions (mm)

00 9100

Art. no.

Distance from wall to centre of column: 425

Hole distance: 300



Bracket for wall fixing, small

WxDxH

270 x 312 x 24

00 9043

Colour code: bright chrome 0005 matt chrome 0018

Colour code: bright chrome

matt chrome

Distance from wall to centre of post: 282

202

Hole distance: 250



Bracket for cabinet fixing

WxDxH

192 x 160 x 24

00 9044

Colour code: bright chrome 0005 matt chrome 0018 Distance from wall to centre of column:

130

Hole distance: 128



Adapter (without cap)

for sloping ceilings

Colour code:

bright chrome 0005 matt chrome 0018 00 9088







height: 50 Ø 360 00 9048



Colour code:

bright chrome 0005 matt chrome 0018

Rotating shelf

axial connection with metal grid base max. load capacity: 5 kg

round

Round basket

high

axial connection

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome 0018 height: 185 Ø 360 00 9101



Round basket

high

incl. swivel arm

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome 0018 height: 190 Ø 315 00 9098



Rotating shelf

round

with Multiplex wooden base

incl. swivel arm

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome 0018

height: 100 Ø 360

base thickness:

12





Art. no.

Dimensions (mm)

00 9062 height: 100

Ø 364

glass thickness: 6

Turning shelf

round

with glass base incl. swivel arm

max. load capacity: 5 kg

Colour code:

bright chrome 0005 0018 matt chrome



00 9050

height: 90 Ø 360

Rotating shelf

round

with metal grid base incl. swivel arm

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome



00 9051

WxDxH 353 x 372 x 100 base thickness:

12

Swivelling tray

with Multiplex wooden base

incl. swivel arm

max. load capacity: 5 kg

Colour code:

bright chrome matt chrome



00 9061

WxDxH 358 x 376 x 100 glass thickness:

Swivelling tray

with glass base incl. swivel arm

max. load capacity: 5 kg

Colour code: 0005 bright chrome matt chrome


WxDxH

with metal grid base max. load capacity: 5 kg

Colour code:
bright chrome 0005
matt chrome 0018

Swivel tray

355 x 420 x 50 **00 9055**



Glass rack

for six glasses max. load capacity: 5 kg

Colour code:
bright chrome 0005
matt chrome 0018

height: 50 Ø 300 00 9058



Swivel bar

max. load capacity: 5 kg

Colour code: bright chrome 0005 matt chrome 0018 height: 50

length: 360 tube-Ø: 16 00 9047



S hooks

Colour code: bright chrome 0005 matt chrome 0018 single **00 8054**

for rod Ø 16 mm

double **00 8056** for rod Ø 16 mm







WxDxH

100 x 200 x 50

for wooden and glass shelves max. load capacity: 15 kg

Colour code: bright chrome 0005 matt chrome

Support





Double support

for wooden and glass shelves max. load capacity: 15 kg

Colour code: bright chrome 0005 0018 matt chrome

WxDxH

00 9097 140 x 200 x 50



Wardrobe rail

complete with brackets max. load capacity: 20 kg

Colour code: 0005 bright chrome matt chrome

length: 855 rail: Ø 30

00 9099



Glass shelf

max. load capacity: 20 kg

WxDxH

850 x 300 x 8 00 9076 850 x 400 x 8 00 9077

Ø drilled hole: 8 Glass thickness: 8 Centre-to-centre distance for holes in glass shelf: 814 Poles centre to centre: 938





HighLine posts:

Fixed between floor and ceiling

Attractive and practical coat stand with full-length swivel mirror

Hat rack

Mirror with coathanger rail

Rotating shelf, wooden base panel, on swivel arm

Round basket on swivel arm

Umbrella stand

Ø 550 **00 9078**

Hat rack

round

max. load capacity: 5 kg

Colour code:
bright chrome 0005
matt chrome 0018



Round basket

high

incl. swivel arm

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome 0018 height: 190 Ø 315 00 9098

00 9049



Rotating shelf

round

with Multiplex wooden base

incl. swivel arm

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome 0018 height: 100 Ø 360

base thickness:

12



Full-length mirror

right/left reversible with coathanger holder max. load capacity: 20 kg

Colour code:

bright chrome 0005 matt chrome 0018 WxDxH

460 x 360 x 1630 **00 9079**





HighLine posts:

A combination with a lot of space for coats and jackets. Also looks good in waiting rooms.

Coathanger ring

Umbrella stand

Height: 60 Ø 550 00 9102



Colour code: bright chrome 0005 matt chrome 0018

Coathanger ring

max. load capacity: 15 kg

Glass shelf

small

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome 0018

Ø 260 glass thickness:

Z



Umbrella stand

Colour code:

bright chrome 0005 matt chrome 0018 WxDxH

277 x 220 x 407 **00 9080**



Coat hanger holder

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome 0018 WxDxH

60 x 312 x 132 **00 9081**







Art. no. Dimensions (mm)

00 9065

Cap with drilled holes

for axle

Colour code:
bright chrome 0005
matt chrome 0018



00 9066

Сар

for axle

Colour code:
bright chrome 0005
matt chrome 0018



00 9070

Centre cap

for bottom mounting incl. cover

Colour code: bright chrome 0005 matt chrome 0018



00 9068

Adjustment ring

with screw

Colour code:
bright chrome 0005
matt chrome 0018



00 9069

Cover ring

with O-ring

Colour code:
bright chrome 0005
matt chrome 0018

Fastening ring

with stop-ring

Colour code: black 9005

00 9067



Bracket for bistro table

complete

incl. adjustment ring (part no. 00 9068)

and fastening ring

max. load capacity: 15 kg

Colour code:

bright chrome 0005

length: 500 00 9092



Swivel arm

complete

incl. fastening ring (Art. no. 00 9067)

max. load capacity: 5 kg

Colour code:

bright chrome 0005 matt chrome

00 9093



Connecting fitting

for rotating shelf

(Art. no. 00 9049, page 8·17)

Colour code:

bright chrome 0005 matt chrome

00 9095



Footrest ring

incl. adjustable ring

max. load capacity: 40 kg

Colour code:

bright chrome 0005

0018 matt chrome

height: 93 Ø 360

00 9057





TurnLine – elegant and practical.





Intelligent engineering makes the whole tray surface available for storage and lets each shelf turn individually.



Art. no. Dimensions (mm)

00 9140 2-tier

height: 800 shelf Ø: 260 depth: 300 TurnLine

with 2 glass shelves compl. with wall bracket and hook ring 3kg load/shelf

Colour code: bright chrome 0005 matt chrome 0018




00 9141

3-tier height: 950 shelf Ø: 260 depth: 300 TurnLine

with 3 glass shelves compl. with wall bracket and hook ring 3kg load/shelf


Colour code: bright chrome 0005 matt chrome 0018







TurnLine – tidiness and style.



Art. no. Dimensions (mm)

00 9140 2-tier height: 800 shelf Ø: 260

depth: 300

TurnLine

with 2 glass shelves; incl. wall fixing brackets 3 kg load/shelf

Colour code: bright chrome 0005 matt chrome 0018



00 9141

3-tier height: 950 shelf Ø: 260 depth: 300 **TurnLine**

with 3 glass shelves; incl. wall fixing brackets 3 kg load/shelf

Colour code: bright chrome 0005 matt chrome 0018



00 9142

height: 800 shelf Ø: 260 depth: 300 TurnLine

with mirror, glass holder (incl. 2 glasses), 1 glass shelf and hooks 3 kg load/shelf

Colour code: bright chrome 0005



00 9143

height: 950 shelf: 260 depth: 300 TurnLine

with mirror, glass holder (incl. 2 glasses), 2 glass shelves and hooks 3 kg load/shelf

Colour code: bright chrome 0005






Rotating bathroom storage -

mirror and shelving in one unit.





max. load capacity: 5 kg/glass shelf

width of board: min. 500 mm max. 520 mm



Art. no. Dimensions (mm)

WxDxH (mm) **00 9150** 490 x 246 x 50

for 19 mm boards
(with adapter for 16 mm panels)
5 shelves (glass with metal edge rail)
top wall fixing bracket
bottom foot with rotating bearing

Set for Rotating-mirror storage unit







Bathroom storage solutions – functional posts for bathrooms.





Art. no. Dimensions (mm)

00 9110 length: 1808

(incl. accessories) Ø 30 mm

incl. bottom bearing

00 9127 length: 958 with conical cover ring

(incl. accessories) and top conical cap

Axle

Colour code: bright chrome 0005 matt chrome 0018



00 9126

WxDxH 150 x 220 x 24 Wall fixing bracket


Colour code: bright chrome 0005 matt chrome 0018



00 9117

WxDxH 40 x 292 x135 Coat hanger holder

Colour code: bright chrome 0005 matt chrome 0018



00 9119

height: 50

length: 340

arm Ø: 16

0-1----

Colour code: bright chrome 0005

Swivel arm

bright chrome 0005 matt chrome 0018

Bracket W

Colour code: bright chrome 0005 matt chrome 0018

for fixing on wall and cabinet

WxDxH

150 x 150 x 24 **00 9122**



Vanity mirror

Colour code: bright chrome 0005 matt chrome 0018 Ø 190

00 9118



Towel holder

Colour code: bright chrome 0005 matt chrome 0018 WxDxH

235 x 200 x 170 **00 9112**



Glass shelf

Load capacity: max. 5 kg

Colour code: bright chrome 0005 matt chrome 0018 Ø 260 height: 61 00 9113

00 9115



Hairdryer holder

Colour code: bright chrome 0005 matt chrome 0018 WxDxH

85 x 145 x 53





Art. no. Dimensions (mm)

 Tissue box holder

Colour code:
bright chrome 0005
matt chrome 0018



WxDxH G 00 9121 198 x 122 x 53 w

Glass holder with two glasses

Colour code:
bright chrome 0005
matt chrome 0018



00 9124 Ø 48 height: 40

Cover cap with drilling holes

Colour code: bright chrome 0005 matt chrome 0018



00 9125 Ø 48 height: 40

Cover cap without holes

Colour code: bright chrome 0005 matt chrome 0018



00 9123

Ø 40

height: 8

Cover ring with o-ring

Calarra

Colour code: bright chrome 0005 matt chrome 0018

Vanity mirror swivelling incl. wall fixing bracket Ø 190 **00 1170**



Mobile laundry basket


WxDxH 455 x 400 x 535 **00 4055**


















Elegant towel holder pull-out for the wall – with concealed attachment and slide mechanism.

Pull-out towel rail

length: 325 1-arm rail with cover 410



Pull-out towel rail

2-arm rail 325 00 5062 00 5063 with cover 410



Pull-out, solid metal towel rail

1-arm rail with cover length:

length:

370 00 5064



Pull-out, solid metal towel rail

2-arm rail with cover length:

370 00 5065



Pull-out towel rail

length:

370 00 5066

Extension: 285







Laundry basket I tilting



Laundry basket I pull-out

Fixing strip

for laundry basket I

width:

214 00 4058



Laundry basket I

with lowered grip zone


 $\mathsf{Wx}\mathsf{D}$

237 x 260 287 x 260 00 4056 00 4053

387 x 260 **00 4057**

height

front: 420 rear: 365



Laundry basket pull-out

for laundry basket I

Art. no. 00 4056 for cabinet 300 mm Art. no. 00 4053 for cabinet 350 mm 00 1171 00 1172



Fixing strip

for laundry basket II

width:

225 00 4060



Laundry basket II

4-sided stackable

WxDxH








Maximizes storage in very narrow cabinets:

15-cm bathroom pull-out with structured metal bottom panels.



15 cm pull-out

for bathrooms

Art. no. Dimensions (mm)

01 5420 2-tier

104 x 259 x 430

for inside cabinet height: min. 470

01 5421 3-tier

104 x 259 x 750

for inside cabinet height: min. 800


inside cabinet depth: min. 274





Edge rail for wooden shelves dowel fixing

Dimensions (mm) Art. no. WxH 248 x 39 298 x 39



Door rack

with plexiglas bottom

Dimensions (mm) Art. no.

WxDxH

260 x 50 x 63 00 1281 260 x 90 x 63 00 1282








Bathroom carousel pull-out





The carousel is pulled forward as the door opens

Easy-access rotating shelves can be packed full with toiletries



Dimensions (mm)

Art. no.

Pull-out fitting

for carousel incl. follower





Axle

for Bathroom carousel pull-out

for inside cabinet height incl. fitting (Art. no. 01 9802):

 596
 01 9804

 820
 01 9805

 896
 01 9807

 1221
 01 9808



Shelf

white, with chrome edge rail

Ø 235 x 47 (H)


00 9800



Shelf

transparent

with chrome edge rail








TANDEM pull-out for bathrooms





Overview: The pull-out element and the door unit are linked by a follower.

The rear element is pulled forward as the door opens



Pull-out fitting

for shelves



Door shelf

with structured-metal shelves for TANDEM PULL-OUT FOR BATHROOMS incl. wooden-frame adapter (can also be used separately)

WxDxH

2-tier 210 x 92 x 360 **00 1260** 3-tier 210 x 92 x 570 **00 1270**



Pull-out shelf

with structured-metal shelves for TANDEM PULL-OUT FOR BATHROOMS (can also be used separately)

WxDxH

2-tier 255 x 156 x 360 **00 1261** 3-tier 255 x 156 x 570 **00 1271**





Page 10-3

Attractive, well-organised storage.

Rotation around a central axis makes for versatility.



IDEAL product range

Page 10-7



Exclusive fittings for wardrobes and other storage units.

Bedroom solutions

Page 10-11



The system that saves space, and makes for good organisation and quick access. Exclusive design and quality manufacturing.



ROTA Depot – turning the back to the front.



Trays and holders can be fitted at different levels

360° revolving fitting


Rotating unit ROTA-Depot

for inside height: 00 4975 1870-2127 for inside depth: min. 550



Trouser- and tie-holder ROTA-Depot

WxDxH 333 x 537 x 50 **00 4971** for inside width:



Hook-on basket ROTA-Depot

for 800 mm cabinet:

WxDxH 320 x 530 x 126 **00 4972**

for inside width: min. 700

min. 750

for 1000 mm cabinet: 429 x

429 x 530 x 126 **0**

for inside width: min. 900

00 4973



Edge rail ROTA-Depot

WxH

515 x 100 **00 4974**





IDEAL product range –

functional wardrobe systems.






Combination of fittings from the IDEAL product range

IDEAL pull-out basket

IDEAL pull-out tie rack

IDEAL pull-out trouser holder



Dimensions (mm)

Art. no.


Basket pull-out IDEAL

incl. glider and connector

for right and left installation

WxDxH

160 x 455 x 98 **00 4960**




Trouser pull-out IDEAL

incl. glider and connector

for right and left installation

WxDxH

74 x 455 x 118 **00 4963**



Tie pull-out IDEAL


incl. glider and connector

for right and left installation

WxDxH

74 x 455 x 87

00 4962



Tie and belt pull-out IDEAL


incl. glider and connector

for right and left installation

WxDxH

222 x 455 x 72

00 4961





Bedroom solutions – everything neat and tidy.





Swing-up holder for ties or scarves

Combined holder

Tie rack

Individual pull-out baskets in a frame (see page 10·18)

Dimensions (mm) Art. no.

Holder for ties and scarves

hinged

incl. bearings

WxDxH

320 x 160 x 25

00 5004



Holder for ties and scarves

hinged

incl. bearings

WxDxH

255 x 70 x 300 **00 5005**



Hook rail

fix to side panel, with 5 hooks for mounting underneath wooden shelves, with 5 hooks WxDxH

350 x 43 x 49 **0**

350 x 44 x 48 **00 10**

00 1078 00 1077



Tie holder

rotates

with 12 anti-slip arms

WxDxH

160 x 135 x 1325 **00 49**





Combi holder

rotates

for belts, scarves, etc.


WxDxH

160 x 135 x 1325 **00 4989**



Combination pull-out exclusive

Individual pull-out baskets and shoe racks in a frame (see page 10·18)



Combi pull-out exclusive


complete system (see picture) tie holders with anti-slip feature

Art. no. Dimensions (mm)

WxDxH

00 4986 200 x 480 x 1270

Tie pull-out



Trouser pull-out for ten pairs of trousers

Tie pull-out

for 17 ties, with anti-slip elements for right and left installation

Dimensions (mm) Art. no.

WxDxH

130 x 540 x 90 **00 4991**



Trouser pull-out

for ten trousers with push-aside anti-slip elements for right and left installation


Dimensions (mm) Art. no.

WxDxH

465 x 480 x 100 **00 4990**







Tie pull-out

Swivelling coathanger holder

Swivel trouser holder for seven pairs of trousers





Swing-up trouser pull-out

Dimensions (mm) Art. no.

length: 295

00 5003



Clothes hanger swivelling

Shoe rack

for 2 pairs of shoes

WxDxH

420 x 50 x 225 **00 6907**



Trouser holder

with movable anti-slip elements

WxDxH

430 x 430 x 75 **00 5011**



Trouser pull-out


for 3 trousers with anti-slip elements

WxDxH

500 x 265 x 315 **00 5008**









Dimensions (mm) Art. no.

WxDxH 65 x 495 x 475 00 4993

Pull-out frame incl. runners



00 8759

Runners

for pull-out baskets with self-closing mechanism capacity: 20 kg

Colour code: galvanized 0007



00 4994

WxDxH 680 x 500 x 160 Pull-out basket

exclusive



00 4995

WxDxH 680 x 500 x 110 **Pull-out basket**

compact



WxDxH **00 4996** 675 x 510 x 110 Shoe rack



00 7087

Connector set for wooden shelf to attach runner (00 8759)